



US00D569706S

(12) **United States Design Patent** (10) **Patent No.:** **US D569,706 S**
Samhammer et al. (45) **Date of Patent:** **** May 27, 2008**

(54) **DOOR HOLD**

(75) Inventors: **Christopher Samhammer**, Redmond, WA (US); **Richard K. Simms**, Redmond, WA (US); **Linsey K. Mallory**, Montesano, WA (US); **Patrick C. Moran**, Seattle, WA (US); **Ximena Rozo**, Seattle, WA (US); **Juliane B. Trummer**, Seattle, WA (US)

(73) Assignee: **The Boeing Company**, Chicago, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/297,051**

(22) Filed: **Nov. 2, 2007**

Related U.S. Application Data

(62) Division of application No. 29/247,623, filed on Jun. 29, 2006, now Pat. No. Des. 559,077.

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/330**

(58) **Field of Classification Search** D8/302, D8/306, 313, 330-348; 70/57, 63, 78, 84, 70/99, 101, 141, 208-209; 292/336.3, 175, 292/95, 11; 340/687, 542, 680, 686.1; 361/801, 361/726, 747, 54

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D219,095 S * 11/1970 Allen, Jr. D8/306
- 4,705,442 A 11/1987 Fucci
- D303,618 S 9/1989 Russell et al.
- D303,619 S * 9/1989 Russell et al. D8/313
- D303,621 S * 9/1989 Russell et al. D8/313
- 5,630,632 A 5/1997 Swan
- D385,474 S 10/1997 Rechberg

- D415,406 S 10/1999 Weinerman et al.
- D452,952 S 1/2002 Teskey
- 6,340,933 B1 1/2002 Chen et al.
- D458,110 S 6/2002 Landeros
- D465,142 S * 11/2002 Weinerman et al. D8/302
- D471,428 S 3/2003 Mirick
- 6,676,177 B2 1/2004 Daoud et al.
- 6,829,150 B2 12/2004 Larson
- D531,882 S 11/2006 Haugaard et al.
- D543,437 S 5/2007 Mallory et al.
- D543,831 S 6/2007 Druckman et al.
- 2002/0171249 A1 11/2002 Daoud et al.

FOREIGN PATENT DOCUMENTS

WO 2004/021747 A2 3/2004

* cited by examiner

Primary Examiner—Mitchell I Siegel

(74) *Attorney, Agent, or Firm*—Ostrager Chong Flaherty & Broitman P.C.

(57) **CLAIM**

The ornamental design for a door hold, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a door hold, shown in closed position, in accordance with the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a bottom view thereof;

FIG. 6 is a perspective view thereof shown in open position;

FIG. 7 is a perspective view of a second embodiment of a door hold of the invention; and,

FIG. 8 is a front elevational view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG.7




FIG.8