

(12) United States Design Patent (10) Patent No.: US D569,717 S ****** May 27, 2008 (45) **Date of Patent:** Aoki

- MAGNETIC FASTENER (54)
- (75)Inventor: Yoshihiro Aoki, Tokyo (JP)
- Assignee: Application Art Laboratories Co., (73)Ltd., Tokyo (JP)
- (**)14 Years Term:

- (58)D8/331; D11/205-220, 331; 24/94, 303, 24/688; 292/251.5; 63/29.2; 294/65.5 See application file for complete search history.
- **References** Cited (56)

U.S. PATENT DOCUMENTS

D335,266 S 5/1993 Morita D412,865 S 8/1999 Aoki

- (21) Appl. No.: 29/287,507
- (22)Filed: Aug. 16, 2007

Related U.S. Application Data

Division of application No. 29/265,269, filed on Aug. (62)29, 2006, now Pat. No. Des. 556,032, which is a division of application No. 29/241,068, filed on Oct. 24, 2005, now Pat. No. Des. 539,132, which is a division of application No. 29/222,799, filed on Feb. 4, 2005, now Pat. No. Des. 518,707, which is a division of application No. 29/187,578, filed on Aug. 5, 2003, now Pat. No. Des. 504,311, which is a division of application No. 29/147,797, filed on Sep. 7, 2001, now Pat. No. Des. 481,298.

(30) Fo	Foreign Application Priority Data					
Mar. 8, 2001	(JP)					
Mar. 8, 2001	(JP)					
Mar. 8, 2001	(JP)					
Mar. 8, 2001	(JP)					
Mar. 8, 2001	(JP)					
Mar. 8, 2001	(JP)					
Mar. 8, 2001	(JP)					
Mar. 8, 2001	(JP)					
May 29, 2001	(JP)					
May 29, 2001	(JP)					
May 29, 2001	(JP)					
May 29, 2001	(JP)					
(51) LOC (8) Cl						
(52) U.S. Cl.	• • • • • • • • • • • • • • • • • • • •					

D425,780	S	5/2000	Aoki
D426,765	S	6/2000	Aoki
D452,137	S	12/2001	Aoki
D452,813	S	1/2002	Morita
D454,482	S	3/2002	Morita
D457,834	S	5/2002	Morita
D462,255	S	9/2002	Aoki
D481,298	S	10/2003	Aoki
D482,266	S	11/2003	Aoki
D506,921	S	7/2005	Aoki
D511,449	S	11/2005	Aoki

Primary Examiner—Catherine R. Oliver (74) Attorney, Agent, or Firm—Wenderoth, Lind & Ponack, L.L.P.

(57)CLAIM

The ornamental design for a magnetic fastener, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a magnetic fastener

showing the first embodiment of my new design, the rear elevational view being identical;

FIG. 2 is a top plan view of FIG. 1;

FIG. 3 is a bottom plan view of FIG. 1;

FIG. 4 is a left side elevational view of FIG. 1, the right side elevational view being identical;

FIG. 5 is a front elevational view of the front member of FIG. 1, shown with the rear member removed, the rear elevational view being identical;

FIG. 6 is a top plan view of FIG. 5;

FIG. 7 is a bottom plan view of FIG. 5;



US D569,717 S Page 2

FIG. **8** is a left side elevational view of FIG. **5**, the right side elevational view being identical;

FIG. 9 is a front elevational view of the rear member of FIG. 1, shown with the front member removed, the rear elevational view being identical;

FIG. 10 is a top plan view of FIG. 9;

FIG. 11 is a bottom plan view of FIG. 9;

FIG. 12 is a left side elevational view of FIG. 9, the right side elevational view being identical;

FIG. **13** is a front elevational view of a magnetic fastener showing the second embodiment of my new design, the rear elevational view being identical;

FIG. 29 is a front elevational view of the front member of FIG. 25, shown with the rear member removed, the rear elevational view being identical;

FIG. 30 is a top plan view of FIG. 29;

FIG. 31 is a bottom plan view of FIG. 29;

FIG. **32** is a left side elevational view of FIG. **29**, the right side elevational view being identical;

FIG. **33** is a front elevational view of the rear member of FIG. **25**, shown with the front member removed, the rear elevational view being identical;

FIG. 34 is a top plan view of FIG. 33;

FIG. 14 is a top plan view of FIG. 13;

FIG. 15 is a bottom plan view of FIG. 13;

FIG. 16 is a left side elevational view of FIG. 13, the right side elevational view being identical;

FIG. 17 is a front elevational view of the front member of FIG. 13, shown with the rear member removed, the rear elevational view being identical;

FIG. 18 is a top plan view of FIG. 17;

FIG. 19 is a bottom plan view of FIG. 17;

FIG. 20 is a left side elevational view of FIG. 17, the right side elevational view being identical;

FIG. 21 is a front elevational view of the rear member of FIG. 13, shown with the front member removed, the rear elevational view being identical;

FIG. 22 is a top plan view of FIG. 21;

FIG. 23 is a bottom plan view of FIG. 21;

FIG. 24 is a left side elevational view of FIG. 21, the right

FIG. 35 is a bottom plan view of FIG. 33;

FIG. **36** is a left side elevational view of FIG. **33**, the right side elevational view being identical;

FIG. **37** is a front elevational view of a magnetic fastener showing the fourth embodiment of my new design, the rear elevational view being identical;

FIG. 38 is a top plan view of FIG. 37;

FIG. 39 is a bottom plan view of FIG. 37;

FIG. 40 is a left side elevational view of FIG. 37, the right side elevational view being identical;

FIG. **41** is a front elevational view of the front member of FIG. **37**, shown with the rear member removed, the rear elevational view being identical;

FIG. 42 is a top plan view of FIG. 41;

FIG. 43 is a bottom plan view of FIG. 41;

FIG. **44** is a left side elevational view of FIG. **41**, the right side elevational view being identical;

FIG. 45 is a front elevational view of the rear member of

side elevational view being identical;

FIG. 25 is a front elevational view of a magnetic fastener showing the third embodiment of my new design, the rear elevational view being identical;

FIG. 26 is a top plan view of FIG. 25;

FIG. 27 is a bottom plan view of FIG. 25;

FIG. **28** is a left side elevational view of FIG. **25**, the right side elevational view being identical;

FIG. 37, shown with the front member removed, the rear elevational view being identical;
FIG. 46 is a top plan view of FIG. 45;
FIG. 47 is a bottom plan view of FIG. 45; and,
FIG. 48 is a left side elevational view of FIG. 45, the right side elevational view being identical.

1 Claim, 12 Drawing Sheets

U.S. Patent May 27, 2008 Sheet 1 of 12 US D569,717 S FIG. 1





FIG. 3









FIG. 6



FIG. 7





U.S. Patent US D569,717 S May 27, 2008 Sheet 3 of 12

FIG. 9







FIG. 11





U.S. Patent May 27, 2008 Sheet 4 of 12 US D569,717 S

FIG. 13





B



FIG. 15







U.S. Patent US D569,717 S May 27, 2008 Sheet 5 of 12 FIG. 17

FIG. 18

a Land all is desiring a standing game as a s

1 10



FIG. 19





U.S. Patent US D569,717 S May 27, 2008 Sheet 6 of 12

FIG. 21





FIG. 23





U.S. Patent US D569,717 S May 27, 2008 Sheet 7 of 12 FIG. 25











U.S. Patent May 27, 2008 Sheet 8 of 12 US D569,717 S FIG. 29

FIG. 30



FIG. 31





U.S. Patent May 27, 2008 Sheet 9 of 12 US D569,717 S

FIG. 33



FIG. 34









U.S. Patent US D569,717 S May 27, 2008 Sheet 10 of 12 FIG. 37











U.S. Patent May 27, 2008 Sheet 11 of 12 US D569,717 S

FIG. 41



FIG. 42



FIG. 43





U.S. Patent May 27, 2008 Sheet 12 of 12 US D569,717 S

FIG. 45



FIG. 46



FIG. 47



