



US00D570015S

(12) **United States Design Patent** (10) **Patent No.:** **US D570,015 S**
Hsu (45) **Date of Patent:** **** May 27, 2008**

(54) **EXTERIOR SURFACE CONFIGURATION OF
A VEHICLE REAR LIGHT**

D562,477 S * 2/2008 Hsu D26/28
* cited by examiner

(76) Inventor: **Hong Ming Hsu**, No. 152, Sec 2,
Funong St. East District, Tainan City
(TW) 701

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Alexander Chen, Esq.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/299,665**

The ornamental design for an exterior surface configuration
of a vehicle rear light, as shown and described.

(22) Filed: **Dec. 31, 2007**

DESCRIPTION

(51) **LOC (8) Cl.** **26-06**
(52) **U.S. Cl.** **D26/28**
(58) **Field of Classification Search** D26/28–36;
362/459–468, 475–478, 485–487
See application file for complete search history.

FIG. 1 is perspective view from the front right of an exterior
surface configuration of a vehicle rear light. The drawings
and descriptions represent the right side embodiment. The
design also contemplates a mirror symmetrical embodiment
on the left side of the vehicle. The dash line included denotes
environment and is not part of the claimed design


(56) **References Cited**

FIG. 2 is a front elevation view thereof;
FIG. 3 is a right elevation view thereof; and,
FIG. 4 is a top view thereof.

U.S. PATENT DOCUMENTS

D542,445 S * 5/2007 Matsunami et al. D26/28
D550,380 S * 9/2007 Lin et al. D26/28

1 Claim, 4 Drawing Sheets






Fig.1




Fig. 2




Fig. 3




Fig.4