



US00D570199S

(12) **United States Design Patent**  
**Bremmon**

(10) **Patent No.:** **US D570,199 S**  
(45) **Date of Patent:** **\*\* Jun. 3, 2008**

(54) **DISPLAY MOUNT WITH SELECTIVELY POSITIONABLE UPRIGHTS**

(75) Inventor: **Jeff Bremmon**, Shakopee, MN (US)

(73) Assignee: **CSAV, Inc.**, Savage, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/270,722**

(22) Filed: **Dec. 29, 2006**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/363**

(58) **Field of Classification Search** ..... D8/363;  
D14/451-452, 214; 248/274.1, 284.1, 278.1  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,938,005	A	7/1990	Focke	
6,367,756	B1	4/2002	Wang	
6,402,109	B1 *	6/2002	Dittmer	248/284.1
D477,325	S	7/2003	Theis et al.	
D477,606	S	7/2003	Theis et al.	
D493,800	S *	8/2004	Pfister et al.	D14/451
D494,596	S	8/2004	Pfister	
D495,713	S	9/2004	Pfister et al.	
6,905,101	B1	6/2005	Dittmer	
D517,085	S *	3/2006	Deuschle	D14/451
D539,636	S	4/2007	Bremmon	
D540,154	S	4/2007	Bremmon	
2004/0011932	A1	1/2004	Duff	

**OTHER PUBLICATIONS**

Chief Manufacturing, Inc., *Full-Line Product Guide 2004*, Jan. 2004, pp. 1-64.

Chief Manufacturing, Inc., *The Focus: Presentation Support Solutions*, 2003, pp. 1-80.

Chief Manufacturing, Inc., *The Focus: Presentation Support Solutions*, Full-Line Product Guide, Effective Apr. 2002, pp. 1-68.

\* cited by examiner

*Primary Examiner*—Holly H Baynham

(74) *Attorney, Agent, or Firm*—Patterson, Thuente, Skaar & Christensen, PA

(57) **CLAIM**

I claim the ornamental design for display mount with selectively positionable uprights, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a display mount with selectively positionable uprights according to an embodiment of the invention;

FIG. 2 is a front elevation view of the display mount with selectively positionable uprights depicted in FIG. 1;


FIG. 3 is a side elevation view of the display mount with selectively positionable uprights depicted in FIG. 1;


FIG. 4 is a rear elevation view of the display mount with selectively positionable uprights depicted in FIG. 1; and,

FIG. 5 is a top plan view of the display mount with selectively positionable uprights depicted in FIG. 1.


The opposing side elevation view, although not depicted, is a mirror image of the view of FIG. 3. Moreover, the bottom plan view, although not depicted, is a mirror image of the view of FIG. 5.

**1 Claim, 3 Drawing Sheets**







*Fig. 1.*



*Fig. 3.*



*Fig. 2.*



*Fig. 4.*



*Fig. 5.*