



US00D570235S

(12) **United States Design Patent**
Staller

(10) **Patent No.:** **US D570,235 S**

(45) **Date of Patent:** **** Jun. 3, 2008**

(54) **FIELD STRENGTH MEASURING DEVICE**

Primary Examiner—Antoine D. Davis

(75) **Inventor:** **Eduard Staller**, Reutlingen (DE)

(74) *Attorney, Agent, or Firm*—Bachman & LaPointe, P.C.

(73) **Assignee:** **Narda Safety Test Solutions GmbH**
(DE)

(57) **CLAIM**

(**) **Term:** **14 Years**

The ornamental design for a field strength measuring device, as shown.

(21) **Appl. No.:** **29/268,512**

DESCRIPTION

(22) **Filed:** **Nov. 7, 2006**

(51) **LOC (8) Cl.** **10-04**

FIG. 1 is a rear perspective view of the ornamental design of field strength measuring device in accordance with the present invention;

(52) **U.S. Cl.** **D10/78**

(58) **Field of Classification Search** D10/78,
D10/103; 324/239–244, 249, 251, 252, 258,
324/260–262, 207.12–207.22

FIG. 2 is a front perspective view of the ornamental design of the present invention;

See application file for complete search history.

FIG. 3 is a side view of the ornamental design of the present invention;

(56) **References Cited**

FIG. 4 is a top view of the ornamental design of the present invention; and,


U.S. PATENT DOCUMENTS

3,665,511 A * 5/1972 Wolf 340/540
5,512,824 A * 4/1996 Adler et al. 324/258

FIG. 5 is a bottom view of the ornamental design of the present invention.

* cited by examiner

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5