

US00D570948S

(12) **United States Design Patent** (10) **Patent No.:** **US D570,948 S**
Cerovic et al. (45) **Date of Patent:** **** Jun. 10, 2008**

(54) **CARTRIDGE FOR AN ELECTRONIC CONTROL DEVICE**

<http://www.taser.com>, Feb. 2007.

Photograph of Tasertron cartridge circa 1998.

(75) Inventors: **Milan Cerovic**, Scottsdale, AZ (US);
Christopher W. Baldwin, Mesa, AZ (US)

* cited by examiner

Primary Examiner—Melanie Tung

Assistant Examiner—Susan Moon Lee

(73) Assignee: **TASER International, Inc.**, Scottsdale, AZ (US)

(74) *Attorney, Agent, or Firm*—William R. Bachand

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/275,727**

The ornamental design for a cartridge for an electronic control device, as shown and described.

(22) Filed: **Jan. 4, 2007**

(51) **LOC (8) Cl.** **22-01**

DESCRIPTION

(52) **U.S. Cl.** **D22/108**

(58) **Field of Classification Search** D22/104,
D22/108, 117; 361/232; 102/438, 293, 439,
102/502, 430, 447, 448, 469; 124/57, 59;
222/5; 89/1.11; 42/1.01, 1.08, 84; 362/109,
362/119; 463/47.3, 47.4

FIG. 1 is a perspective view of a cartridge for an electronic control device, showing our novel design;

FIG. 2 is a left side elevation of the cartridge of FIG. 1 when the cartridge is turned front facing up, 90 degrees;

See application file for complete search history.

FIG. 3 is a top elevation of the cartridge of FIG. 1, when the cartridge is turned front facing up, 90 degrees;

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,486,807 A * 12/1984 Yanez 361/232
D340,719 S * 10/1993 Yoder D14/238
5,283,971 A * 2/1994 Fuller et al. 42/70.07
5,786,546 A * 7/1998 Simson 102/438
5,822,905 A * 10/1998 Teetzel 42/117
5,831,199 A * 11/1998 McNulty et al. 89/1.11
6,999,295 B2 * 2/2006 Watkins et al. 361/232
7,222,925 B2 * 5/2007 Yu et al. 312/245
2005/0024807 A1 * 2/2005 Cerovic et al. 361/232

FIG. 4 is a front elevation of the cartridge of FIG. 1 when the left side is turned facing up, 90 degrees; and,

FIG. 5 is a rear elevation of the cartridge of FIG. 1, when oriented as in FIG. 4.

The dashed lines in the drawing form no part of the design.

When the cartridge of FIG. 1 is rotated on its central axis 270 degrees to show the right side, and turned front facing up, 90 degrees, the view of the right side is identical to FIG. 2.


The unshown portions of the cartridge are not claimed.

OTHER PUBLICATIONS

<http://www.stingersystems.com>, Feb. 2007.

<http://www.leacorp.com>, Feb. 2007.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5