

US00D571016S

(12) **United States Design Patent**
Matthews

(10) **Patent No.:** **US D571,016 S**
(45) **Date of Patent:** **** Jun. 10, 2008**

(54) **SHOULDER SUPPORT**
(75) Inventor: **Martin Matthews, Redruth (GB)**
(73) Assignee: **DM Orthotics Limited (GB)**
(**) Term: **14 Years**

5,425,702 A * 6/1995 Carn et al. 602/62
5,628,725 A * 5/1997 Ostergard 602/62
5,857,990 A * 1/1999 Maas 602/62
5,937,442 A * 8/1999 Yamaguchi et al. 2/69
6,106,493 A * 8/2000 Rozell 602/20
6,306,111 B1 * 10/2001 Dean 602/20
7,081,101 B1 * 7/2006 Sawa 602/19
7,207,963 B2 * 4/2007 Kania et al. 602/20

(21) Appl. No.: **29/280,496**

* cited by examiner

(22) Filed: **May 30, 2007**

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan E Krakower

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm*—Gardner Groff Greenwald & Villanueva, PC

Nov. 30, 2006 (EM) 000630694-0004

(51) **LOC (8) Cl.** **24-01**

(57) **CLAIM**

(52) **U.S. Cl.** **D24/190**

The ornamental design for a shoulder support, as shown and described.

(58) **Field of Classification Search** D24/188–192;
602/4–5, 20–24, 62, 75–76; 128/77, 94,
128/869–878, DIG. 19; 607/21; 2/44–45,
2/69, 310, 908; D2/712–718
See application file for complete search history.

DESCRIPTION

(56) **References Cited**

FIG. 1 is a front view of a shoulder support according to the new design, showing the securing clasp in a closed position;

FIG. 2 is a rear view of the shoulder support of FIG. 1, showing an arm in a lowered position;

U.S. PATENT DOCUMENTS


195,941 A * 10/1877 McCabe 602/4
D89,417 S * 3/1933 Urig D24/190
2,549,703 A * 4/1951 New 602/4
3,906,944 A * 9/1975 Christen 128/869
D275,230 S * 8/1984 Hubbard et al. D24/190
4,550,724 A * 11/1985 Berrehail 128/874
4,735,198 A * 4/1988 Sawa 128/878
D307,799 S * 5/1990 Worley D24/190
4,986,266 A * 1/1991 Lindemann 602/4
5,181,906 A * 1/1993 Bauerfeind 602/63

FIG. 3 is a rear view of the shoulder support of FIG. 1, showing an arm in a raised position; and,

FIG. 4 is a front view of the shoulder support of FIG. 1, showing the securing clasp in an open position.

In FIG. 4, the broken line showing of a securing clasp represents environmental structure and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4