

US00D571016S

(12) **United States Design Patent**
Matthews

(10) **Patent No.:** **US D571,016 S**
(45) **Date of Patent:** **** Jun. 10, 2008**

(54) **SHOULDER SUPPORT**
(75) Inventor: **Martin Matthews, Redruth (GB)**
(73) Assignee: **DM Orthotics Limited (GB)**
(**) Term: **14 Years**

5,425,702 A *	6/1995	Carn et al.	602/62
5,628,725 A *	5/1997	Ostergard	602/62
5,857,990 A *	1/1999	Maas	602/62
5,937,442 A *	8/1999	Yamaguchi et al.	2/69
6,106,493 A *	8/2000	Rozell	602/20
6,306,111 B1 *	10/2001	Dean	602/20
7,081,101 B1 *	7/2006	Sawa	602/19
7,207,963 B2 *	4/2007	Kania et al.	602/20

(21) Appl. No.: **29/280,496**

* cited by examiner

(22) Filed: **May 30, 2007**

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan E Krakower

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm*—Gardner Groff Greenwald & Villanueva, PC

Nov. 30, 2006 (EM) 000630694-0004

(51) **LOC (8) Cl.** **24-01**

(57) **CLAIM**

(52) **U.S. Cl.** **D24/190**

The ornamental design for a shoulder support, as shown and described.

(58) **Field of Classification Search** D24/188–192;
602/4–5, 20–24, 62, 75–76; 128/77, 94,
128/869–878, DIG. 19; 607/21; 2/44–45,
2/69, 310, 908; D2/712–718
See application file for complete search history.

DESCRIPTION

(56) **References Cited**

FIG. 1 is a front view of a shoulder support according to the new design, showing the securing clasp in a closed position;

FIG. 2 is a rear view of the shoulder support of FIG. 1, showing an arm in a lowered position;

U.S. PATENT DOCUMENTS


195,941 A *	10/1877	McCabe	602/4
D89,417 S *	3/1933	Urige	D24/190
2,549,703 A *	4/1951	New	602/4
3,906,944 A *	9/1975	Christen	128/869
D275,230 S *	8/1984	Hubbard et al.	D24/190
4,550,724 A *	11/1985	Berrehail	128/874
4,735,198 A *	4/1988	Sawa	128/878
D307,799 S *	5/1990	Worley	D24/190
4,986,266 A *	1/1991	Lindemann	602/4
5,181,906 A *	1/1993	Bauerfeind	602/63

FIG. 3 is a rear view of the shoulder support of FIG. 1, showing an arm in a raised position; and,

FIG. 4 is a front view of the shoulder support of FIG. 1, showing the securing clasp in an open position.

In FIG. 4, the broken line showing of a securing clasp represents environmental structure and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4