

US00D571059S

(12) **United States Design Patent**  
**Napolitano**

(10) **Patent No.:** **US D571,059 S**

(45) **Date of Patent:** **\*\* Jun. 10, 2008**

(54) **DOG LEASH SHOCK ABSORBER**

(76) Inventor: **Dennis Napolitano**, 780 Van Buren,  
Unit G, Placentia, CA (US) 92870

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,961**

(22) Filed: **Oct. 2, 2006**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 11/097,845,  
filed on Apr. 4, 2005, now abandoned.

(51) **LOC (8) Cl.** ..... **30-04**

(52) **U.S. Cl.** ..... **D30/153**

(58) **Field of Classification Search** ..... D30/151-154;  
119/792-799, 758, 760, 769, 770, 712, 784,  
119/802, 856, 857, 863, 865, 719, 859, 908,  
119/776, 864; D24/199; 182/3; 248/690;  
24/594.11, DIG. 35, 3.2, 600.7, 905; 54/71,  
54/34; 267/113, 136, 34, 70, 72, 71; 16/66;  
340/573.3, 668; 294/82.34, 19.1; 114/221 R;  
441/75; 128/878, 882, DIG. 15; D29/120.1-120.2  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 198,275 A \* 12/1877 Chase ..... 267/70
- 316,878 A \* 4/1885 Crowther ..... 119/798
- 843,543 A \* 2/1907 Matsumoto ..... 119/769
- 2,322,897 A \* 6/1943 Bogaerde, Jr. .... 119/799
- 2,593,940 A \* 4/1952 Van Meter ..... 119/799
- 2,614,834 A \* 10/1952 Tomkins ..... 267/71
- 2,714,873 A \* 8/1955 Mosby ..... 119/799
- 2,731,758 A \* 1/1956 Coe ..... 43/42.72
- 2,911,947 A \* 11/1959 Kramer ..... 119/798
- 2,989,030 A \* 6/1961 Draheim ..... 119/863
- 3,817,218 A \* 6/1974 Bongiovanni ..... 119/864
- 3,908,875 A \* 9/1975 Wilson et al. .... 224/254
- 4,488,511 A \* 12/1984 Grassano ..... 119/798

- D289,739 S \* 5/1987 Froidevaux et al. .... D10/37
- 4,681,303 A \* 7/1987 Grassano ..... 267/113
- 5,054,786 A \* 10/1991 Solomon ..... 473/147
- D341,912 S \* 11/1993 Ayala ..... D30/153
- 5,482,258 A \* 1/1996 Clauson et al. .... 267/71
- D372,756 S \* 8/1996 May ..... D21/803
- 5,600,873 A \* 2/1997 May ..... 24/3.2
- 5,815,977 A \* 10/1998 Hill, Jr. .... 43/25
- 6,053,129 A \* 4/2000 Akre ..... 119/795
- D455,527 S \* 4/2002 Epstein ..... D30/153
- 6,427,374 B1 \* 8/2002 Vaiani ..... 42/85
- 6,530,131 B1 \* 3/2003 Hopkins ..... 24/300
- 6,612,264 B2 \* 9/2003 Levine ..... 119/795
- 6,918,353 B1 \* 7/2005 Coroneos ..... 119/57.1
- 2003/0140871 A1 \* 7/2003 Levine ..... 119/795
- 2004/0200436 A1 \* 10/2004 Staack ..... 119/792

\* cited by examiner

*Primary Examiner*—Cathron Brooks  
*Assistant Examiner*—Susan Moon Lee  
(74) *Attorney, Agent, or Firm*—Allen A. Dicke, Jr.

(57) **CLAIM**

The ornamental design for a dog leash shock absorber, as shown and described.

**DESCRIPTION**

The dog leash shock absorber has a flexible polymer tubular body with springs so that, when connected between a dog leash and a dog collar, it absorbs shock.

FIG. 1 is a front elevational view of a dog leash shock absorber showing my new design.

FIG. 2 is a rear view thereof.

FIG. 3 is an end view thereof.

FIG. 4 is a top view thereof.

FIG. 5 is a bottom view thereof; and,

FIG. 6 is an opposite end view thereof.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6