

US00D571146S

(12) **United States Design Patent** (10) **Patent No.:** **US D571,146 S**
Sanfilippo et al. (45) **Date of Patent:** **** Jun. 17, 2008**

(54) **LID FOR A FLEXIBLE CONTAINER**

(75) Inventors: **John E. Sanfilippo**, Barrington Hills, IL (US); **James J. Sanfilippo**, Barrington Hills, IL (US); **Jeanne M. Skaggs**, Arlington Heights, IL (US); **Roy Speer**, Barrington, IL (US)

(73) Assignee: **Clear Lam Packaging, Inc.**, Elk Grove Village, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/295,567**

(22) Filed: **Oct. 1, 2007**

(51) **LOC (8) Cl.** **07-02**

(52) **U.S. Cl.** **D7/391**

(58) **Field of Classification Search** D3/273,
D3/294, 302; D6/515; D7/317-319, 391-392.1,
D7/396.2, 510-511, 550.1, 601-602, 629,
D7/900; D9/414-418, 420-425, 428-430,
D9/434-436, 440-454, 503-504, 734; 206/494;
215/200, 211, 224, 248; 220/213, 254.7,
220/258.2, 281, 283, 326, 350-351, 700-701,
220/714-716, 832; 229/120, 406, 902, 906;
426/106, 113

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,968,921 A * 7/1976 Jewell 229/406
5,036,997 A * 8/1991 May et al. 220/832
5,353,946 A * 10/1994 Behrend 220/326
D354,436 S * 1/1995 Krupa D9/423
D364,563 S * 11/1995 Miller et al. D9/423
D374,774 S * 10/1996 Cassel D3/294
D395,952 S * 7/1998 Buczwinski et al. D9/734
5,785,179 A * 7/1998 Buczwinski et al. 206/494
D409,484 S * 5/1999 Tasker D9/423
D412,439 S * 8/1999 Cormack D9/425

D421,901 S * 3/2000 Hill D9/423
D421,902 S * 3/2000 Hill D9/423
D437,686 S * 2/2001 Balzar et al. D3/302

Primary Examiner—Caron D. Veynar

Assistant Examiner—Ricky Pham

(74) *Attorney, Agent, or Firm*—Cardinal Law Group


(57) **CLAIM**

The ornamental design for a lid for a flexible container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lid for a flexible container;
FIG. 2 is a front side view of the lid for a flexible container;
FIG. 3 is a back side view of the lid for a flexible container;
FIG. 4 is a right side view of the lid for a flexible container;
FIG. 5 is a left side view of the lid for a flexible container;
FIG. 6 is a top view of the lid for a flexible container;
FIG. 7 is a bottom view of the lid for a flexible container;
FIG. 8 is a perspective view of the lid for a flexible container with the lid in an open position;
FIG. 9 is a front side view of the lid for a flexible container with the lid in an open position;
FIG. 10 is a back side view of the lid for a flexible container with the lid in an open position;
FIG. 11 is a right side view of the lid for a flexible container with the lid in an open position;
FIG. 12 is a left side view of the lid for a flexible container with the lid in an open position;
FIG. 13 is a top view of the lid for a flexible container with the lid in an open position; and,
FIG. 14 is a bottom view of the lid for a flexible container with the lid in an open position.

1 Claim, 8 Drawing Sheets



U.S. PATENT DOCUMENTS					
D446,014	S	*	8/2001	Adkins	D3/302
D450,960	S	*	11/2001	Boyea et al.	D6/515
D452,374	S	*	12/2001	Kim	D3/302
D461,403	S	*	8/2002	Chomik et al.	D9/423
D466,807	S	*	12/2002	Buck et al.	D9/425
D485,461	S	*	1/2004	Sams et al.	D6/515
D487,192	S	*	3/2004	Farnham et al.	D3/294
D489,530	S	*	5/2004	Lindsay	D3/302
6,761,279	B1	*	7/2004	Martin et al.	220/258.2
D513,870	S	*	1/2006	Rosine et al.	D3/273
D544,762	S	*	6/2007	Zimmerman	D7/629
D548,080	S	*	8/2007	Brown et al.	D9/449
					* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14