



US00D571402S

(12) **United States Design Patent**
Kai et al.

(10) **Patent No.:** **US D571,402 S**
(45) **Date of Patent:** **** Jun. 17, 2008**

(54) **COATING FILM TRANSFER TOOL**

(57) **CLAIM**

(75) Inventors: **Keiji Kai**, Osaka (JP); **Hideto Shima**,
Kyoto (JP)

The ornamental design for a coating film transfer tool, as
shown and described.

(73) Assignee: **Kokuyo S & T Co., Ltd.**, Osaka (JP)

DESCRIPTION

(**) Term: **14 Years**

FIG. 1 is a front elevational view of the coating film transfer
tool;

(21) Appl. No.: **29/255,501**

FIG. 2 is a rear elevational view of FIG. 1;

(22) Filed: **Mar. 9, 2006**

FIG. 3 is a top plan view of FIG. 1;

(30) **Foreign Application Priority Data**

FIG. 4 is a bottom plan view of FIG. 1;

Sep. 26, 2005 (JP) D2005-027736

FIG. 5 is a right side elevational view of FIG. 1;

(51) **LOC (8) Cl.** **19-02**

FIG. 6 is a left side elevational view of FIG. 1;

(52) **U.S. Cl.** **D19/69**

FIG. 7 is a front elevational view with the coating film transfer
tool removed for clarity;

(58) **Field of Classification Search** D19/66,
D19/67, 68, 69, 70; 156/523, 257, 540, 577;
206/411; 225/6, 25, 39, 77; 242/588, 588.1,
242/588.2, 588.3, 588.6, 598.5

FIG. 8 is a cross-sectional view taken along line 8—8 in FIG.
7;

See application file for complete search history.

FIG. 9 is an cross-sectional view taken along line 9—9 in FIG.
7;

(56) **References Cited**

FIG. 10 is an cross-sectional view taken along line 10—10 in
FIG. 7;

U.S. PATENT DOCUMENTS

FIG. 11 is a front elevational view with a cap rotated to expose
a head;

D420,389 S *	2/2000	Shimizu	D19/69
D421,059 S *	2/2000	Shimizu	D19/69
D424,619 S *	5/2000	Katami	D19/69
D433,449 S *	11/2000	Fujiwara	D19/53
D436,625 S *	1/2001	Katami	D19/69
D438,250 S *	2/2001	Katami	D19/69
6,206,072 B1 *	3/2001	Orihara et al.	156/540
6,270,578 B1 *	8/2001	Murakoshi	118/257
D451,960 S *	12/2001	Shimizu	D19/69

FIG. 12 is a front elevational view with a retaining portion
rotated;

FIG. 13 is a front elevational view showing transparent por-
tions in gray with a retaining portion rotated. The transparent
portions are shown in gray solely for the purpose of identify-
ing the transparency;

FIG. 14 is a cross-sectional view taken along line 8—8 in FIG.
7 showing the transparent portion in gray; The transparent
portions are shown in gray solely for the purpose of identify-
ing the transparency;

FIG. 15 is a front elevational view showing a cartridge with a
coating film transfer tape with the lower arm of the case
shown removed for completeness of illustration; and,


FIG. 16 is a rear of FIG. 15.

(Continued)

Primary Examiner—Cathron C. Brooks

1 Claim, 16 Drawing Sheets

Assistant Examiner—Austin Murphy



US D571,402 S

Page 2

U.S. PATENT DOCUMENTS

D456,450 S *	4/2002	Kimura	D19/69	D524,373 S *	7/2006	Kimura	D19/69
D457,564 S *	5/2002	Kimura	D19/53	D527,766 S *	9/2006	Mitsui et al.	D19/69
D465,241 S *	11/2002	Suzuki	D19/69	D539,351 S *	3/2007	Mitsui et al.	D19/69
D466,938 S *	12/2002	Lee	D19/69	D543,239 S *	5/2007	Suzuki	D19/69
D466,939 S *	12/2002	Lee	D19/69	D543,240 S *	5/2007	Suzuki	D19/69
D492,355 S *	6/2004	Suzuki	D19/69	D543,241 S *	5/2007	Herrmannsen et al.	D19/69
D492,730 S *	7/2004	Suzuki	D19/69	2002/0033237 A1 *	3/2002	Narita et al.	156/577
D494,221 S *	8/2004	Suzuki	D19/69	2002/0062928 A1 *	5/2002	Ishikawa	156/523
D498,498 S *	11/2004	Ono	D19/69	2005/0155717 A1 *	7/2005	Mitsui et al.	156/577
D523,085 S *	6/2006	Mitsui et al.	D19/69	2007/0009307 A1 *	1/2007	Kai et al.	400/615.2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16