



US00D571681S

(12) **United States Design Patent**
Radecke et al.

(10) **Patent No.:** **US D571,681 S**
(45) **Date of Patent:** **** Jun. 24, 2008**

(54) **FEMALE MULTIPOLE CONNECTOR FOR A PIEZOELECTRIC SENSOR**

D298,931 S * 12/1988 Sekiguchi D13/147
D527,346 S * 8/2006 Brodin D13/146

(75) Inventors: **Michael Radecke**, Winterthur (CH);
Daniel Bhend, Winterthur (CH)

* cited by examiner

(73) Assignee: **Kistler Holding AG**, Winterthur (CH)

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Dority & Manning, P.A.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/280,838**

The ornamental design for a female multipole connector for a piezoelectric, sensor as shown and described.

(22) Filed: **Jun. 8, 2007**

(30) **Foreign Application Priority Data**

DESCRIPTION

Dec. 13, 2006 (CH) 133490

FIG. 1 is a perspective view of the front of a female multipole connector for a piezoelectric sensor;

(51) **LOC (8) Cl.** **10-04**

FIG. 2 is a front plan view of the front of the female multipole connector of FIG. 1; and,

(52) **U.S. Cl.** **D10/80; D13/146**

(58) **Field of Classification Search** D10/80;

FIG. 3 is a top plan view of the female multipole connector of FIG. 1, the opposite bottom plan view being a mirror image thereof.

D13/133–136, 147, 154, 146; 439/34, 35,

439/166, 171, 179, 312, 332, 609, 675, 680
See application file for complete search history.


The broken lines in FIGS. 1–3 schematically represent either a connecting cable of any kind or the sensor itself and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,770,644 A * 9/1988 Feder 439/166

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3