



US00D571851S

(12) **United States Design Patent**
Myers

(10) **Patent No.:** **US D571,851 S**
(45) **Date of Patent:** **** Jun. 24, 2008**

(54) **AMPLIFIED PERCUSSION DRUM**

(76) Inventor: **Gregg A. Myers**, 20172 Running Springs La., Huntington Beach, CA (US) 92646

(**) Term: **14 Years**

(21) Appl. No.: **29/289,143**

(22) Filed: **Jul. 9, 2007**

(51) **LOC (8) Cl.** **17-04**

(52) **U.S. Cl.** **D17/22**

(58) **Field of Classification Search** D17/22, D17/99; 84/104, 411 R, 420, 411 P
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,818,791	A *	6/1974	Zickos	84/411 R
4,168,064	A *	9/1979	Petrovic	473/466
4,244,265	A *	1/1981	Tuttrup	84/411 R
4,373,419	A *	2/1983	Tuttrup	84/411 R
D288,696	S *	3/1987	Hoshino	D17/22
5,681,189	A *	10/1997	Dunham	439/738
D441,315	S *	5/2001	Huffman	D11/143
6,667,432	B2 *	12/2003	Brando	84/411 R
D534,768	S *	1/2007	Mansfield	D7/513

FOREIGN PATENT DOCUMENTS

JP 08030266 A * 2/1996

OTHER PUBLICATIONS

Salwender International. <http://www.salwender.com/Cajon.htm>. Apr. 2006. Yambu Drums: center of p. 1.*

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Rashida Johnson

(74) *Attorney, Agent, or Firm*—William L. Chapin

(57) **CLAIM**

The ornamental design for an amplified percussion drum, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an amplified percussion drum showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;



FIG. 4 is a left side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7