



US00D571942S

(12) **United States Design Patent**  
**Christianson**

(10) **Patent No.:** **US D571,942 S**  
(45) **Date of Patent:** **\*\* Jun. 24, 2008**

(54) **WEARABLE AND POSITIONABLE  
DUAL-LIGHT**

(75) Inventor: **Thomas R. Christianson**, Napa, CA  
(US)

(73) Assignee: **ShowerTek, Inc.**, Napa, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/302,208**

(22) Filed: **Jan. 11, 2008**

(51) **LOC (8) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/39**

(58) **Field of Classification Search** ..... D26/37-50;  
362/157, 158, 171-174, 183-208  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,749,644	A	5/1998	Carbone	
D404,157	S	1/1999	Carbone	
D408,566	S	4/1999	Welsh et al.	
D441,886	S *	5/2001	Beck	D26/39

D533,954	S *	12/2006	Opolka	D26/39
7,175,295	B2	2/2007	Bretz et al.	
D560,836	S *	1/2008	Garrity et al.	D26/39

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—David Pressman

(57) **CLAIM**

The ornamental design for a wearable and positionable dual-light, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of my wearable and positionable dual-light taken from above and to the front right of the light as it would be worn.

FIG. 2 is a perspective view of my light taken from above and to the rear left right of the light as it would be worn.

FIG. 3 is a plan view of the light; and,

FIG. 4 is an elevational or side view of the right side of the light as it would be worn. The left side is a mirror image of the right side.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4