

### (12) United States Design Patent (10) Patent No.: US D572,086 S Matsumoto et al. (45) Date of Patent: \*\* Jul. 1, 2008

### (54) **STORAGE CONTAINER**

(75) Inventors: Tamotsu Matsumoto, Chiba-Ken (JP);
 Makiko Kida, Chiba-ken (JP); Eugene
 R. Kaneko, Astoria, NY (US)

(73) Assignee: Helen of Troy Limited, St. Michael (BB)

(\*\*) Term: **14 Years** 

#### D431,970 S \* 10/2000 Sani ..... D7/612 9/2003 Nilsson ..... D7/629 D479,806 S \* 6,619,498 B2 9/2003 von Holdt, Jr. 1/2005 Diesterbeck 6,845,877 B2 3/2005 Ueki 6,869,114 B2 7/2005 Kim ..... D7/610 D507,154 S \* 8/2005 Mitchell, Jr. ..... D7/629 D507,939 S \* D512,278 S \* 12/2005 Schultz et al. ...... D7/629 8/2006 Wolff ..... D7/612 D526,855 S \*

\* cited by examiner

(21) Appl. No.: **29/289,664** 

(22) Filed: Jul. 27, 2007

### **Related U.S. Application Data**

- (63) Continuation-in-part of application No. 11/395,596, filed on Mar. 31, 2006.
- (52) U.S. Cl. ..... D7/629; D7/614
- (58) Field of Classification Search ...... D7/612–615, D7/601, 602, 629, 538–642; 206/310, 457; 220/708–806, 574–575; D9/428–432
   See application file for complete search history.

(56) **References Cited** 

### U.S. PATENT DOCUMENTS

D162,579	S	*	3/1951	Roop D7/615
3,977,563	А		8/1976	Holt
4,307,817	А		12/1981	Cotroneo
4,369,892	А		1/1983	Uhlig
D289,105	S	*	4/1987	Sussman D7/612
D305,715	S	*	1/1990	Bruno D7/612
D310,463	S	*	9/1990	Laib D7/614
D310,464	S	*	9/1990	Laib D7/615
D333,615	S	*	3/1993	Zutler D9/423
5,381,586	А		1/1995	Busscher et al.
D355,814	S	*	2/1995	VanValkenburg et al D7/629
5,392,945	А	*	2/1995	Syrek 220/608
D356,255	S	*	3/1995	Syrek D9/424
5,584,408	А		12/1996	Orkisz
5,758,791	А		6/1998	Mangla
D424,379	S	*	5/2000	Kim D7/612
D427,063	S	*	6/2000	May D9/425

Primary Examiner—Terry A Wallace (74) Attorney, Agent, or Firm—Seyfarth Shaw LLP

(57) **CLAIM** 

The ornamental design for the storage container, as shown and described.

### DESCRIPTION

FIG. 1 is a top perspective view of the storage container showing a first embodiment of our new design;

FIG. 2 is a top plan view of the first embodiment;

FIG. **3** is a side elevational view of the first embodiment, the other three side elevational views being identical;

FIG. 4 is a bottom plan view of the first embodiment;

FIG. **5** is a top perspective view of a second embodiment of our new design;

FIG. **6** is a top plan view of the second embodiment;

FIG. 7 is a side elevational view of the second embodiment, the other three side elevational views being identical;
FIG. 8 is a bottom plan view of the second embodiment;
FIG. 9 is a top perspective view of a third embodiment of our new design;
FIG. 10 is a top plan view of the third embodiment;
FIG. 11 is a side elevational view of the third embodiment, the other three side elevational views being identical;
FIG. 12 is a bottom plan view of the third embodiment;
FIG. 13 is a top perspective view of a fourth embodiment;
FIG. 13 is a top perspective view of a fourth embodiment;
FIG. 14 is a top plan view of the fourth embodiment;



### **US D572,086 S** Page 2

FIG. **15** is a side elevational view of the fourth embodiment, the other three side elevational views being identical;

FIG. 16 is a bottom plan view of the fourth embodiment;

FIG. 17 is a top perspective view of a fifth embodiment;

FIG. **18** is a top plan view of the fifth embodiment of our new design;

FIG. **19** is a side elevational view of the narrow side of the fifth embodiment, the opposite side elevational view being identical;

FIG. 20 is a side elevational view of the wide side of the fifth embodiment, the opposite side elevational view being identical;

FIG. **31** is a bottom plan view of the seventh embodiment;

FIG. **32** is a top perspective view of an eighth embodiment of our new design;

FIG. 33 is a top plan view of the eighth embodiment;

FIG. **34** is a side elevational view of the narrow side of the eighth embodiment, the opposite side elevational view being identical;

FIG. **35** is a side elevational view of the wide side of the eighth embodiment, the opposite side elevational view being identical;

FIG. 36 is a bottom plan view of the eighth embodiment;FIG. 37 is a top perspective view of a ninth embodiment;FIG. 38 is a top plan view of the ninth embodiment of our new design;

FIG. **21** is a bottom plan view of the fifth embodiment;

FIG. 22 is a top perspective view of a sixth embodiment;

FIG. 23 is a top plan view of the sixth embodiment of our new design;

FIG. **24** is a side elevational view of the narrow side of the sixth embodiment, the opposite side elevational view being identical;

FIG. **25** is a side elevational view of the wide side of the sixth embodiment, the opposite side elevational view being identical;

FIG. **26** is a bottom plan view of the sixth embodiment;

FIG. **27** is a top perspective view of a seventh embodiment of our new design;

FIG. 28 is a top plan view of the seventh embodiment;

FIG. **29** is a side elevational view of the narrow side of the seventh embodiment, the opposite side elevational view being identical;

FIG. **30** is a side elevational view of the wide side of the seventh embodiment, the opposite side elevational view being identical;

FIG. **39** is a side elevational view of the ninth embodiment, the other three side elevational views being identical;

FIG. **40** is a bottom plan view of the ninth embodiment;

FIG. **41** is a top perspective view of a tenth embodiment of our new design;

FIG. 42 is a top plan view of the tenth embodiment;

FIG. **43** is a side elevational view of the tenth embodiment, the other three side elevational views being identical;

FIG. 44 is a bottom plan view of the tenth embodiment;

FIG. **45** is a top perspective view of an eleventh embodiment of our new design;

FIG. **46** is a top plan view of the eleventh embodiment;

FIG. **47** is a side elevational view of the eleventh embodiment, the other three side elevational views being identical; and,

FIG. **48** is a bottom plan view of the eleventh embodiment.

1 Claim, 11 Drawing Sheets

## U.S. Patent Jul. 1, 2008 Sheet 1 of 11 US D572,086 S

















# **U.S. Patent** Jul. 1, 2008 Sheet 2 of 11 US D572,086 S







.





H

. . . .

# U.S. Patent Jul. 1, 2008 Sheet 3 of 11 US D572,086 S















#### **U.S. Patent** US D572,086 S Jul. 1, 2008 Sheet 4 of 11











# U.S. Patent Jul. 1, 2008 Sheet 5 of 11 US D572,086 S













#### **U.S. Patent** US D572,086 S Jul. 1, 2008 Sheet 6 of 11









# U.S. Patent Jul. 1, 2008 Sheet 7 of 11 US D572,086 S



#### **U.S. Patent** US D572,086 S Jul. 1, 2008 Sheet 8 of 11





## U.S. Patent Jul. 1, 2008 Sheet 9 of 11 US D572,086 S





#### **U.S. Patent** US D572,086 S Sheet 10 of 11 Jul. 1, 2008







#### **U.S. Patent** US D572,086 S Jul. 1, 2008 **Sheet 11 of 11**



