



US00D572161S

(12) **United States Design Patent**
Solheim

(10) **Patent No.:** **US D572,161 S**
(45) **Date of Patent:** **** Jul. 1, 2008**

(54) **WAIT STAFF SIGNALING DEVICE**

2006/0279415 A1* 12/2006 Solheim 340/286.09

(76) Inventor: **Brenda Solheim**, 1382 Wikiup Dr.,
Santa Rosa, CA (US) 95403

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Robert M. Spear
Assistant Examiner—George D Kirschbaum
(74) *Attorney, Agent, or Firm*—Gary Hoenig

(21) Appl. No.: **29/280,156**

(22) Filed: **May 17, 2007**

(57) **CLAIM**

The ornamental design for a wait staff signaling device, as shown and described.

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/422,409,
filed on Jun. 6, 2006.

DESCRIPTION

(51) **LOC (8) Cl.** **10-05**

(52) **U.S. Cl.** **D10/109**

(58) **Field of Classification Search** D10/111,
D10/115, 109; D21/324, 300, 349, 385;
D7/401.1, 502; 340/286.09, 815.45
See application file for complete search history.

FIG. 1 is a perspective view of a wait staff signaling device showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevation view thereof, the rear elevation view being a mirror image; and,

FIG. 5 is a right side elevation view thereof, the left side elevation view being a mirror image.



The device comprises a base and three colored illuminating indicators wherein the indicator surfaces of the design are lined for colors white, blue, and green.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D261,214 S * 10/1981 Oelzner D7/502
7,026,916 B2 * 4/2006 Alexander 340/286.09
D556,267 S * 11/2007 Nip D21/385
2005/0151664 A1* 7/2005 Kolish et al. 340/815.45

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5

