



US00D572387S

(12) **United States Design Patent**
Uemoto et al.

(10) **Patent No.:** **US D572,387 S**
(45) **Date of Patent:** **** Jul. 1, 2008**

(54) **LIGHTING APPARATUS**

(75) Inventors: **Takaari Uemoto**, Kadoma (JP); **Keiji Nishimoto**, Kadoma (JP); **Yasuharu Ueno**, Kadoma (JP); **Satoshi Shida**, Kadoma (JP); **Yuji Omata**, Kadoma (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/270,333**

(22) Filed: **Dec. 19, 2006**

(30) **Foreign Application Priority Data**

Jun. 20, 2006 (JP) 2006-015926

(51) **LOC (8) Cl.** **26-01**

(52) **U.S. Cl.** **D26/24; D26/1**

(58) **Field of Classification Search** D26/24, D26/1, 2, 37, 72, 74, 80, 81, 83, 93, 105, D26/113, 25; D13/180, 182; 362/612, 631, 362/555, 89, 147, 153, 257, 800; 257/79, 257/80, 82, 88, 433; 313/500
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,967,117 A * 10/1990 Yoshioka et al. 313/506
5,748,161 A * 5/1998 Leby et al. 345/84
6,150,187 A * 11/2000 Zyung et al. 438/26
6,555,403 B1 * 4/2003 Domen et al. 438/22
6,605,826 B2 * 8/2003 Yamazaki et al. 257/72

6,982,518 B2 * 1/2006 Chou et al. 313/46
D541,761 S * 5/2007 Saito et al. D13/180
2003/0089394 A1 * 5/2003 Crafts et al. 219/209
2004/0016930 A1 * 1/2004 Yoshida et al. 257/79
2004/0016932 A1 * 1/2004 Kondo 257/80
2004/0041221 A1 * 3/2004 Boon et al. 257/433
2004/0084741 A1 * 5/2004 Boon et al. 257/433
2006/0166386 A1 * 7/2006 Yamada et al. 438/22

FOREIGN PATENT DOCUMENTS

JP 2003-124528 4/2003

* cited by examiner

Primary Examiner—Cathron Brooks

Assistant Examiner—Angela J Lee

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a lighting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a lighting apparatus of the present invention;

FIG. 2 is a front view thereof, the rear view being a mirror image thereof;


FIG. 3 is a left side view thereof, the right side view being a mirror image thereof;

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.

An elongated elevation on a substrate is transparent and thus light comes through. The two rectangles are electrodes.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5