



US00D572467S

(12) **United States Design Patent**
Reichardt

(10) **Patent No.:** **US D572,467 S**
(45) **Date of Patent:** **** Jul. 8, 2008**

(54) **UTILITY HOLDING DEVICE**

(75) Inventor: **Robert M. Reichardt**, Denver, CO (US)

(73) Assignee: **RMR & Associates Inc.**, Aurora, CO
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/247,972**

(22) Filed: **Jul. 24, 2006**

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/228**

(58) **Field of Classification Search** D3/215,
D3/224, 226, 228, 230, 247, 225, 248; 224/904,
224/901, 914, 922, 163, 240–241, 236, 245;
206/372–376

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D428,250 S 7/2000 Reichardt
D498,048 S 11/2004 Reichardt
D500,409 S * 1/2005 Rivera et al. D3/228
D539,031 S * 3/2007 Balchunas et al. D3/226

D550,451 S * 9/2007 Burlington D3/226

* cited by examiner

Primary Examiner—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and
Crew LLP

(57) **CLAIM**

The ornamental design for utility holding device, as shown
and described.

DESCRIPTION

FIG. 1 is a first perspective view of the utility holding device;

FIG. 2 is a front view of the utility holding device;

FIG. 3 is a rear view the utility holding device;

FIG. 4 is a right side the utility holding device;

FIG. 5 is a left side the utility holding device;


FIG. 6 is a top view the utility holding device;

FIG. 7 is a bottom view the utility holding device;

FIG. 8 is a front view of the utility holding device showing a
top flap extended; and,

FIG. 9 is a rear view of the utility holding device showing the
top flap extended.

1 Claim, 4 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9