



US00D572580S

(12) **United States Design Patent**
Machida

(10) **Patent No.:** **US D572,580 S**

(45) **Date of Patent:** **** Jul. 8, 2008**

- (54) **NUT**
- (75) **Inventor:** **Kazunori Machida, Kanagawa (JP)**
- (73) **Assignee:** **Piolax Inc., Kanagawa (JP)**
- (**) **Term:** **14 Years**
- (21) **Appl. No.:** **29/293,998**
- (22) **Filed:** **Dec. 20, 2007**

(30) **Foreign Application Priority Data**
 Jun. 21, 2007 (JP) 2007-016564

- (51) **LOC (8) Cl.** **08-08**
- (52) **U.S. Cl.** **D8/397**
- (58) **Field of Classification Search** D8/382,
 D8/387, 394, 397-399, 29; 81/121.1; 222/412;
 411/81, 88, 90-93, 96-98, 103, 114, 106-108,
 411/132-165, 172-189, 337, 338, 366.1-366.3,
 411/368, 369, 371.2, 371.5, 418, 427, 429-432,
 411/436, 437, 526, 531-538, 542, 544; D12/213
 See application file for complete search history.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- | | | | | |
|-----------|-----|---------|------------------|-----------|
| 142,709 | A * | 9/1873 | Loomis | 411/165 |
| 476,241 | A * | 6/1892 | Gustave | 238/259 |
| 1,243,859 | A * | 10/1917 | Neider | 24/578.12 |
| 2,200,702 | A * | 5/1940 | Oddie | 411/349 |
| 2,250,072 | A * | 7/1941 | Tinnerman | 411/549 |
| 2,295,480 | A * | 9/1942 | Johnson | 411/173 |
| 2,364,668 | A * | 12/1944 | Simmons | 411/437 |
| 2,367,659 | A * | 1/1945 | Burke | 411/436 |
| 2,404,236 | A * | 7/1946 | Kost | 411/173 |
| 2,426,799 | A * | 9/1947 | Tinnerman | 411/173 |
| 2,430,555 | A * | 11/1947 | Burke | 411/173 |
| 2,567,884 | A * | 9/1951 | Heath | 411/61 |
| 2,687,862 | A * | 8/1954 | Crowther | 248/27.3 |
| 2,969,705 | A * | 1/1961 | Becker | 411/527 |
| 3,304,980 | A * | 2/1967 | Koehl | 411/103 |
| 3,400,743 | A * | 9/1968 | Strange | 411/177 |
| 3,869,760 | A * | 3/1975 | Meyer | 24/562 |
| 4,250,599 | A * | 2/1981 | Nagashima et al. | 24/326 |
| 4,440,535 | A * | 4/1984 | Oehlke | 411/112 |

- | | | | | |
|-----------|------|---------|------------------------|---------|
| 4,595,325 | A * | 6/1986 | Moran et al. | 411/173 |
| 4,610,588 | A * | 9/1986 | Van Buren et al. | 411/173 |
| 4,925,351 | A * | 5/1990 | Fisher | 411/182 |
| D350,474 | S * | 9/1994 | Asami | D8/397 |
| 5,694,719 | A * | 12/1997 | Bejune et al. | 49/502 |
| 5,829,934 | A * | 11/1998 | Danby et al. | 411/182 |
| 5,873,690 | A * | 2/1999 | Danby et al. | 411/55 |
| 5,919,019 | A * | 7/1999 | Fischer | 411/182 |
| 6,095,734 | A * | 8/2000 | Postadan et al. | 411/182 |
| 6,141,837 | A * | 11/2000 | Wisniewski | 24/295 |
| 6,453,522 | B1 * | 9/2002 | Romero Magarino et al. | 24/458 |
| 6,517,302 | B2 * | 2/2003 | Lee | 411/182 |

(Continued)

FOREIGN PATENT DOCUMENTS

- | | | | |
|----|----------------|---|--------|
| AT | EC-150784-0002 | * | 3/2004 |
| DK | EC-231576-0003 | * | 9/2004 |

Primary Examiner—T. Chase Nelson
Assistant Examiner—Karen Acker
 (74) *Attorney, Agent, or Firm*—Westerman, Hattori, Daniels & Adrian, LLP.


(57) **CLAIM**

I claim the ornamental design for a nut, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a nut;
 FIG. 2 is a rear elevation view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevation view thereof;
 FIG. 6 is a left side elevation view thereof; and,
 FIG. 7 is an explanatory referential view showing the use of the nut to secure a bracket to a panel both of which are rendered in broken line.
 The broken lines show environmental structure only, and are not a part of the claimed design.

1 Claim, 4 Drawing Sheets



US D572,580 S

Page 2

U.S. PATENT DOCUMENTS

6,745,440 B2 *	6/2004	Vassiliou	24/295	6,976,292 B2 *	12/2005	MacPherson et al.	24/293
6,857,168 B2 *	2/2005	Lubera et al.	24/293	7,114,221 B2 *	10/2006	Gibbons et al.	24/289
6,893,197 B2 *	5/2005	Lee	411/111	2005/0226700 A1 *	10/2005	Kosidlo et al.	411/173

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7