



US00D572653S

(12) **United States Design Patent**
Knowles et al.

(10) **Patent No.:** **US D572,653 S**
(45) **Date of Patent:** **** Jul. 8, 2008**

(54) **TIRE TREAD**

D560,595 S * 1/2008 Bindner et al. D12/521

(75) Inventors: **James DeWitt Knowles**, Simpsonville,
SC (US); **Phillip William Check**,
Simpsonville, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.**,
Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/273,326**

(22) Filed: **Mar. 2, 2007**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/521; D12/523**

(58) **Field of Classification Search** D12/505-532,
D12/900-901, 500, 502; 152/209.1, 209.8-209.13,
152/209.28, 455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D389,106 S * 1/1998 Cagneaux et al. D12/523
D390,519 S 2/1998 White
D432,957 S * 10/2000 Ricquet D12/521
D444,428 S * 7/2001 Hutz et al. D12/522
D453,919 S * 2/2002 Mast et al. D12/528
D497,876 S 11/2004 Williams
D513,400 S * 1/2006 Sakaguchi et al. D12/523
D525,186 S * 7/2006 Martin D12/521
D525,187 S * 7/2006 Lee et al. D12/527
D555,574 S * 11/2007 Krupa et al. D12/521
D558,127 S * 12/2007 Shavers et al. D12/519
D559,766 S * 1/2008 Hirai D12/520

OTHER PUBLICATIONS

Tread Design Guide, 2004, p. 10, Aurora RH04.
Tread Design Guide, 2004, p. 13, Bridgestone Turanza LS-T.
Tread Design Guide, 2004, p. 17, Cordovan Grand Spirit Radial G/T
60.
Tread Design Guide, 2004, p. 41, Michelin Pilot XGT H4.
Tread Design Guide, 2004, p. 41, Michelin Pilot MXM4.

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Carolyn G. Uldrick; E. Martin
Remick; Frank J. Campigotto

(57) **CLAIM**

The ornamental design for a tire tread, as shown and
described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new
design, it being understood that the tread pattern repeats
circumferentially throughout the outer circumference and
shoulder of a tire, the opposite side perspective view being a
mirror image thereto; and,

FIG. 2 is a full front elevation view of the tire tread thereof of
FIG. 1.

In the drawings, the dark stippled surface shading represents
the recessed groove portions of the tire tread having a depth as
best illustrated along the top and bottom edges of FIG. 2. The
broken line disclosure of the tire sidewall and inner bead is for
illustrative purposes only and forms no part of the claimed
design.

1 Claim, 2 Drawing Sheets






FIG-1




FIG- 2