

US00D572852S

(12) **United States Design Patent**
Niven

(10) **Patent No.:** **US D572,852 S**
(45) **Date of Patent:** **** Jul. 8, 2008**

(54) **BEACON**

(75) Inventor: **Rex Carswell George Niven**, Eltham
(AU)

(73) Assignee: **Eflare Corporation Pty Ltd.**, St. Kilda,
Victoria (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/295,171**

(22) Filed: **Sep. 21, 2007**

(30) **Foreign Application Priority Data**

Mar. 23, 2007 (SG) D2007/338/A

(51) **LOC (8) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37**

(58) **Field of Classification Search** D26/37-50;
362/157, 158, 171-174, 183-208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D297,770 S * 9/1988 Garrity, Sr. D26/49

D369,423 S * 4/1996 Garrity D26/49
D389,595 S * 1/1998 Hunter D26/49
D543,299 S * 5/2007 Lee D26/37

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Blakely, Sokoloff, Taylor &
Zafman; Stephen M. De Klerk

(57) **CLAIM**

The ornamental design for a beacon, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a beacon showing my
new design;

FIG. 2 is a rear perspective view from underneath thereof;

FIG. 3 is a right side elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7