



US00D572900S

(12) **United States Design Patent**
Savage

(10) **Patent No.:** **US D572,900 S**
(45) **Date of Patent:** **** Jul. 15, 2008**

(54) **ARM WORN PIN HOLDER**

D307,073 S * 4/1990 Butler D3/27

(76) Inventor: **Eileen M. Savage**, 424 Trotters La.,
Chesapeake, VA (US) 23322

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Louis S Zarfaz
Assistant Examiner—Anhdao Doan
(74) *Attorney, Agent, or Firm*—William G. Sykes

(21) Appl. No.: **29/291,112**

(22) Filed: **Aug. 16, 2007**

(57) **CLAIM**

(51) **LOC (8) Cl.** **02-07**

(52) **U.S. Cl.** **D3/27**

(58) **Field of Classification Search** D3/18–29;
223/109 R; 224/219, 222; 24/3.2
See application file for complete search history.

The ornamental design for an arm worn pin holder, as shown and described.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

1,281,025	A	*	10/1918	Klein	24/3.2
D64,256	S	*	3/1924	Marshall	D3/27
2,058,340	A	*	10/1936	Miller	223/109 R
D113,104	S	*	1/1939	Beyer	D3/20
D158,180	S	*	4/1950	Corbin	D3/27
2,605,032	A	*	7/1952	Hunt et al.	223/109
D292,356	S	*	10/1987	Veneman	D3/27
D298,484	S	*	11/1988	Austin	D3/22

FIG. 1 is a front right isometric view of an arm worn pin holder showing my new design;
FIG. 2 is a left side plan view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof, showing the strap member in an alternative position;
FIG. 5 is a front plan view thereof;
FIG. 6 is a back plan view thereof; and,
FIG. 7 is a right side plan view thereof.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7