

US00D573454S

(12) **United States Design Patent**
Eberle, III

(10) **Patent No.:** **US D573,454 S**
(45) **Date of Patent:** **** Jul. 22, 2008**

(54) **UNDERFASTENER**

(75) Inventor: **Harry W. Eberle, III**, Califon, NJ (US)

(73) Assignee: **Blue Heron Enterprises, LLC**,
Readington, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/260,404**

(22) Filed: **May 24, 2006**

(51) **LOC (8) Cl.** **08-08**

(52) **U.S. Cl.** **D8/382**

(58) **Field of Classification Search** D8/262,
D8/382; D6/491

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,184,080	A	5/1916	D'Arcy	
2,332,081	A	10/1943	Hunt et al.	
2,362,252	A	11/1944	Ellinwood	
2,398,603	A	4/1946	Soderberg	
2,406,387	A	8/1946	Lank	
4,641,988	A	2/1987	Ganner	
4,682,458	A	7/1987	Sparrow	
5,004,027	A	4/1991	Legler et al.	
5,071,280	A	12/1991	Turner	
5,160,211	A	11/1992	Gilb	
5,182,891	A	2/1993	Slocum	
5,251,996	A	10/1993	Hiller et al.	
5,377,732	A	1/1995	Fujii et al.	
5,419,649	A	5/1995	Gilb	
5,458,433	A	10/1995	Stastny	
5,480,117	A	1/1996	Fleming, III	
5,529,428	A	6/1996	Bischof	
5,564,248	A	10/1996	Callies	
5,603,580	A	2/1997	Leek et al.	
D380,667	S *	7/1997	Kanamori et al. D8/382

D382,466	S *	8/1997	Hirose D8/382
5,660,016	A	8/1997	Erwin et al.	
6,402,415	B1	6/2002	Eberle, III	
D464,873	S *	10/2002	Nemoto D8/382
D484,779	S *	1/2004	Shibuya D8/382

FOREIGN PATENT DOCUMENTS

DE 372483 3/1923

* cited by examiner

Primary Examiner—Holly H. Baynham

Assistant Examiner—Sheryl Friedman

(74) *Attorney, Agent, or Firm*—Kenneth P. Glynn, Esq

(57) **CLAIM**

The ornamental design for an underfastener, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the underfastener of the present invention;

FIG. 2 is a bottom perspective view of the present invention underfastener shown in FIG. 1 above;

FIG. 3 is a front view of the present invention underfastener shown in FIG. 1 above;

FIG. 4 is a rear view of the present invention underfastener shown in FIG. 1 above;



FIG. 5 is a top view of the present invention underfastener shown in FIG. 1 above;

FIG. 6 is a bottom view of the present invention underfastener shown in FIG. 1 above;

FIG. 7 is a left side view of the present invention underfastener shown in FIG. 1 above; and,

FIG. 8 is a right side view of the present invention underfastener shown in FIG. 1 above.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8