



US00D573459S

(12) **United States Design Patent**
Snider et al.

(10) **Patent No.:** **US D573,459 S**
(45) **Date of Patent:** **** Jul. 22, 2008**

(54) **REUSABLE PACKAGING FOR A LIGHT LINE GENERATING DEVICE**

D445,626 S 7/2001 Myszka
D466,356 S * 12/2002 Marsilio D6/632
D472,420 S * 4/2003 Marsilio et al. D6/634
6,540,074 B1 4/2003 Sankey

(75) Inventors: **Gregory S. Snider**, Bel Air, MD (US);
Marc Salois, Hanover, PA (US)

(Continued)

(73) Assignee: **Black and Decker**, Newark, DE (US)

Primary Examiner—Daniel Bui
Assistant Examiner—Thomas J Johannes
(74) *Attorney, Agent, or Firm*—Edell, Shapiro & Finnan, LLC

(**) Term: **14 Years**

(21) Appl. No.: **29/278,255**

(57) **CLAIM**

(22) Filed: **Mar. 23, 2007**

The ornamental design for reusable packaging for a light line generating device, as shown and described.

(51) **LOC (8) Cl.** **09-03**

(52) **U.S. Cl.** **D9/423; D9/420**

(58) **Field of Classification Search** D9/415,
D9/420, 423, 425; 206/472, 387.13, 308.7;
D6/632, 634; D24/131

DESCRIPTION

See application file for complete search history.

FIG. 1 is a top perspective view of reusable packaging for a light line generating device according to the present invention;

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,341,307	A *	7/1982	Shyers	206/472
D273,615	S *	4/1984	Maskrey	D24/131
4,635,797	A	1/1987	Bankier		
4,641,750	A *	2/1987	Johnson et al.	206/387.13
4,687,129	A	8/1987	Cugley		
D292,776	S *	11/1987	Cugley	D9/415
4,724,957	A	2/1988	Burgschweiger		
4,784,264	A	11/1988	Sykes		
4,869,364	A	9/1989	Bray		
4,966,283	A	10/1990	Sykes		
4,977,483	A	12/1990	Perretta		
D324,337	S *	3/1992	Brady	D6/634
5,145,068	A *	9/1992	Schmitz et al.	206/472
D367,579	S	3/1996	Nilson		
5,544,748	A	8/1996	Kollinek		
5,609,250	A	3/1997	Moser		
5,839,575	A	11/1998	Blanco		
5,850,914	A	12/1998	Patterson		
5,950,821	A	9/1999	Moser		
6,000,543	A *	12/1999	Joyce	206/387.13
D423,273	S *	4/2000	Sankey et al.	D6/632

FIG. 2 is a top view in plan thereof;

FIG. 3 is a bottom view in plan thereof;

FIG. 4 is a front view in elevation thereof;

FIG. 5 is a rear view in elevation thereof;

FIG. 6 is a left side view in elevation thereof; and

FIG. 7 is a right side view in elevation thereof.

FIG. 8 is a top perspective view of reusable packaging for a light line generating device according to the present invention, shown in a closed configuration;

FIG. 9 is a top view in plan thereof;

FIG. 10 is a bottom view in plan thereof;

FIG. 11 is a front view in elevation thereof;


FIG. 12 is a rear view in elevation thereof;

FIG. 13 is a left side view in elevation thereof; and,

FIG. 14 is a right side view in elevation thereof.

The broken lines in the figures form no part of the claimed design.

1 Claim, 9 Drawing Sheets



US D573,459 S

Page 2

U.S. PATENT DOCUMENTS

6,685,022	B2	2/2004	Sullivan	2004/0007582	A1	1/2004	Lin
6,959,809	B2	11/2005	Begim	2005/0173286	A1	8/2005	Hansen
7,032,746	B2	4/2006	Bologna	2005/0183974	A1	8/2005	Wong
7,117,992	B2 *	10/2006	Westmeyer et al.	2005/0247581	A1	11/2005	Begim
2003/0164315	A1	9/2003	Wallis	2005/0247709	A1	11/2005	Atkins

* cited by examiner




FIG. 1




FIG. 2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG.9




FIG.10



FIG. 11




FIG. 12




FIG. 13




FIG. 14