



US00D574182S

(12) **United States Design Patent**
Shannon et al.

(10) **Patent No.:** **US D574,182 S**
(45) **Date of Patent:** **** Aug. 5, 2008**

(54) **BAR PAN**

(75) Inventors: **Kingsley Shannon**, Monclova, OH (US); **Joel Tetreault**, Haskins, OH (US)

(73) Assignee: **Calphalon Corporation**, Freeport, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/297,532**

(22) Filed: **Nov. 13, 2007**

(51) **LOC (8) Cl.** **07-02**

(52) **U.S. Cl.** **D7/357**

(58) **Field of Classification Search** D7/323,
D7/354-361, 392.1, 393, 396.1, 412, 505,
D7/540-545, 550.1, 551.1, 552.1, 553.1,
D7/553.4-553.8, 584, 602, 698; D9/414,
D9/420-432, 456, 760, 757; D15/78, 90;
47/87; 62/66, 350; 99/324, 339, 422, 426,
99/446, 448; 126/376.1; 206/457, 506, 553;
220/4.21, 23.2-23.8, 309.1, 367.1, 376-377,
220/573.1-573.4, 574, 912; 249/53 R, 61,
249/66.1, 77, 120, 122; 426/505
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,416,208	A *	5/1922	Jackson	220/23.2
1,749,433	A *	3/1930	Kussa et al.	126/376.1
1,804,324	A *	5/1931	De Weal	62/350
1,979,664	A *	11/1934	Birkenhauer	249/120
2,162,162	A *	6/1939	De Murguiondo	249/61
2,955,044	A *	10/1960	Tupper	426/515
D197,420	S *	1/1964	Malmgren	D9/456
3,561,158	A *	2/1971	Marcan	47/87
D224,289	S *	7/1972	Bloch	D9/760

D241,622	S *	9/1976	Smith	D9/760
D263,682	S *	4/1982	Urciuoli	D9/760
D270,225	S *	8/1983	Chiulli	D7/357
4,452,419	A *	6/1984	Saleeba	249/53 R
D281,696	S *	12/1985	Barnhart	D15/90
D308,942	S *	7/1990	Thundercliffe	D9/425
D320,994	S *	10/1991	Kafka et al.	D15/90
5,393,032	A *	2/1995	Cederroth	249/61
5,976,588	A *	11/1999	Vincent	426/119
6,311,500	B1 *	11/2001	Fraenkel	62/66
D494,408	S *	8/2004	Hinton et al.	D7/357
7,093,816	B2 *	8/2006	Lacan et al.	249/61

* cited by examiner

Primary Examiner—Caron D. Veynar

Assistant Examiner—Ricky Pham

(74) *Attorney, Agent, or Firm*—Foley & Lardner

(57) **CLAIM**

We claim the ornamental design for a bar pan, as shown and described.

DESCRIPTION

FIG. 1 is a top frontal perspective view of a first embodiment of a bar pan according to our new design;

FIG. 2 is a front view of the bar pan shown in FIG. 1;

FIG. 3 is a rear view of the bar pan shown in FIG. 1;

FIG. 4 is a left side view of the bar pan shown in FIG. 1;

FIG. 5 is a right side view of the bar pan shown in FIG. 1;

FIG. 6 is a top view of the bar pan shown in FIG. 1; and,

FIG. 7 is a bottom view of the bar pan shown in FIG. 1.

The views not shown form no part of the claimed design.

The broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




Fig. 7

