



US00D574206S

(12) **United States Design Patent**
Beckwith

(10) **Patent No.:** **US D574,206 S**

(45) **Date of Patent:** **** Aug. 5, 2008**

(54) **HAND TOOL**

(75) Inventor: **Jonathan S. Beckwith**, Raleigh, NC
(US)

(73) Assignee: **Cooper Brands, Inc.**, Houston, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/245,013**

(22) Filed: **Dec. 16, 2005**

(51) **LOC (8) Cl.** **08-03**

(52) **U.S. Cl.** **D8/57**

(58) **Field of Classification Search** D8/51,
D8/52, 57, 107; D24/133, 147, 148; 30/194,
30/175, 231, 232, 235, 131, 134, 233, 135;
81/415, 416, 489

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

24,575 A * 6/1859 Wheeler 211/196
2,033,216 A * 3/1936 Whyte 30/233

(Continued)

FOREIGN PATENT DOCUMENTS

KR 3001043380000 6/1990
KR 3002589470000 4/2000
KR 3003175860000 1/2003
TW 181791 9/1980
TW 395834 4/1988

OTHER PUBLICATIONS

Cooper Industries Hand Tools Online Catalog, Wiss Section, Aug. 3, 2003—Solid Steel Tinner's Snips, p. 7, and Inlaid Industrial Snips, p. 8.*

(Continued)

Primary Examiner—Cathron Brooks
Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—SAIDMAN DesignLaw Group

(57) **CLAIM**

The ornamental design for a hand tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a hand tool showing my new design;

FIG. 2 is a left-side view thereof;

FIG. 3 is a right-side view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a front view thereof;

FIG. 7 is a rear view thereof;

FIG. 8 is a perspective view of a second embodiment of a hand tool showing my new design;

FIG. 9 is a left-side view thereof;

FIG. 10 is a right-side view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;

FIG. 13 is a front view thereof;

FIG. 14 is a rear view thereof;

FIG. 15 is a perspective view of a third embodiment of a hand tool showing my new design;

FIG. 16 is a left-side view thereof;

FIG. 17 is a right-side view thereof;

FIG. 18 is a top view thereof;


FIG. 19 is a bottom view thereof;

FIG. 20 is a front view thereof; and,

FIG. 21 is a rear view thereof.

The broken line showing of the portion of the hand tool is illustrative and forms no part of the claimed design.

1 Claim, 12 Drawing Sheets



US D574,206 S

Page 2

U.S. PATENT DOCUMENTS

2,121,247 A * 6/1938 Hooker 30/257
2,250,638 A * 7/1941 Kubinec 30/257
2,264,840 A * 12/1941 Isaac 30/254
2,386,330 A * 10/1945 McGarvey 30/233
2,661,534 A * 12/1953 Keiser, Jr. 30/248
4,209,901 A * 7/1980 Hemingway 30/233
D282,777 S * 2/1986 Kurz D24/153
4,667,702 A * 5/1987 Roth 138/162
5,758,422 A * 6/1998 Frank 30/230
D406,998 S 3/1999 Thomas
D411,088 S * 6/1999 Rashman D8/57

D450,988 S 11/2001 Olix et al.

OTHER PUBLICATIONS

Sears Craftsman Power and Hand Tools Catalog 1995/1996—Craftsman Duckbill Snips, Item G, and Craftsman 16½-Inch Heavy Duty Tin Snips, Item J, p. 54.*
Sears Specialog Power and Hand Tools 1985/1986—Craftsman Duckbill Snips, Item 20, and Craftsman 16½-Inch Heavy Duty Tin Snips, Item 22, p. 149.*
Photographs of various older versions of Wiss® Tinner's Snips publicly available at least as early as Jan. 1, 1970, 6 pages.
Hand Tools Buyer's Guide Magazine, 2004, p. 64.
Taiwan Hand Tools Buyer's Guide, 1998, p. 34.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21