



US00D574336S

(12) **United States Design Patent**
Okada et al.

(10) **Patent No.:** **US D574,336 S**

(45) **Date of Patent:** **** Aug. 5, 2008**

(54) **LIGHT EMITTING DIODE**

2007/0246715 A1* 10/2007 Shin et al. 257/79

(75) Inventors: **Satoshi Okada**, Anan (JP); **Shinji Nishijima**, Yokohama (JP); **Takahiro Amo**, Anan (JP); **Hideyuki Nagai**, Tokushima (JP); **Shinsuke Sofue**, Anan (JP)

* cited by examiner

Primary Examiner—Selina Sikder
(74) *Attorney, Agent, or Firm*—Global IP Counselors, LLP

(73) Assignee: **Nichia Corporation**, Anan-shi (JP)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for a light emitting diode, as shown and described.

(21) Appl. No.: **29/284,143**

(22) Filed: **Aug. 31, 2007**

DESCRIPTION

(30) **Foreign Application Priority Data**

Mar. 2, 2007	(JP)	2007-5322
Mar. 2, 2007	(JP)	2007-5328
Mar. 2, 2007	(JP)	2007-5329
Mar. 2, 2007	(JP)	2007-5330
Mar. 2, 2007	(JP)	2007-5331

FIG. 1 is a front elevational view of the light emitting diode in accordance with a first embodiment of our new design;

FIG. 2 is a rear elevational view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 3 is a top plan view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 4 is a bottom plan view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 5 is a left side elevational view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 6 is a right side end elevational view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 7 is a partial cross sectional view of the light emitting diode as taken along a section line 7—7 in FIG. 5 in accordance with the first embodiment of our new design;

FIG. 8 is a perspective view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 9 is a front elevational view of the light emitting diode in accordance with a second embodiment of our new design;

FIG. 10 is a rear elevational view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 11 is a top plan view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 12 is a bottom plan view of the light emitting diode in accordance with the second embodiment of our new design;

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Classification Search** D13/180;
D26/2; 257/79, 80, 81, 88, 89, 95, 98, 99,
257/100; 313/483, 498, 500; 362/555, 800
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,623,181	A *	4/1997	Suehiro et al.	313/512
6,495,861	B1 *	12/2002	Ishinaga	257/99
6,610,563	B1 *	8/2003	Waitl et al.	438/166
6,707,069	B2 *	3/2004	Song et al.	257/79
D503,690	S *	4/2005	Kamada	D13/180
D508,235	S *	8/2005	Suenaga	D13/180
D514,073	S *	1/2006	Suenaga	D13/180
7,078,728	B2 *	7/2006	Ishii et al.	257/79
7,161,189	B2 *	1/2007	Wu	257/98
D566,059	S *	4/2008	Tanaka	D13/180
2002/0079837	A1 *	6/2002	Okazaki	313/512
2005/0269587	A1 *	12/2005	Loh et al.	257/99




FIG. 13 is a left side elevational view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 14 is a right side end elevational view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 15 is a partial cross sectional view of the light emitting diode as taken along a section line 15—15 in FIG. 13 in accordance with the second embodiment of our new design;

FIG. 16 is a perspective view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 17 is a front elevational view of the light emitting diode in accordance with a third embodiment of our new design;

FIG. 18 is a rear elevational view of the light emitting diode in accordance with the third embodiment of our new design;

FIG. 19 is a top plan view of the light emitting diode in accordance with the third embodiment of our new design;

FIG. 20 is a bottom plan view of the light emitting diode in accordance with the third embodiment of our new design;

FIG. 21 is a left side elevational view of the light emitting diode in accordance with the third embodiment of our new design;

FIG. 22 is a right side end elevational view of the light emitting diode in accordance with the third embodiment of our new design;

FIG. 23 is a partial cross sectional view of the light emitting diode as taken along a section line 23—23 in FIG. 21 in accordance with the third embodiment of our new design;

FIG. 24 is a perspective view of the light emitting diode in accordance with the third embodiment of our new design;

FIG. 25 is a front elevational view of the light emitting diode in accordance with a fourth embodiment of our new design;

FIG. 26 is a rear elevational view of the light emitting diode in accordance with the fourth embodiment of our new design;

FIG. 27 is a top plan view of the light emitting diode in accordance with the fourth embodiment of our new design;

FIG. 28 is a bottom plan view of the light emitting diode in accordance with the fourth embodiment of our new design;

FIG. 29 is a left side elevational view of the light emitting diode in accordance with the fourth embodiment of our new design;

FIG. 30 is a right side end elevational view of the light emitting diode in accordance with the fourth embodiment of our new design;

FIG. 31 is a partial cross sectional view of the light emitting diode as taken along a section line 31—31 in FIG. 29 in accordance with the fourth embodiment of our new design;

FIG. 32 is a perspective view of the light emitting diode in accordance with the fourth embodiment of our new design;

FIG. 33 is a front elevational view of the light emitting diode in accordance with a fifth embodiment of our new design;

FIG. 34 is a rear elevational view of the light emitting diode in accordance with the fifth embodiment of our new design;

FIG. 35 is a top plan view of the light emitting diode in accordance with the fifth embodiment of our new design;

FIG. 36 is a bottom plan view of the light emitting diode in accordance with the fifth embodiment of our new design;

FIG. 37 is a left side elevational view of the light emitting diode in accordance with the fifth embodiment of our new design;

FIG. 38 is a right side end elevational view of the light emitting diode in accordance with the fifth embodiment of our new design;

FIG. 39 is a partial cross sectional view of the light emitting diode as taken along a section line 39—39 in FIG. 37 in accordance with the fifth embodiment of our new design; and,

FIG. 40 is a perspective view of the light emitting diode in accordance with the fifth embodiment of our new design.

The opaque line shading illustrates a translucent portion of the light emitting diode. More specifically, in the first through fifth embodiments, the lens of the light emitting diode is translucent.

The partial cross sectional views illustrated in FIGS. 7, 15, 23, 31 and 39 are presented solely for the purpose of clarifying the shape of exterior surface of the lens of the light emitting diode according to the claimed design.

The broken lines illustrated in FIGS. 2, 10, 18, 26 and 34 indicate environmental structures that form no part of the claimed design.

1 Claim, 20 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29





FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40