



US00D574586S

(12) **United States Design Patent**
Morong et al.

(10) **Patent No.:** **US D574,586 S**

(45) **Date of Patent:** **** Aug. 12, 2008**

(54) **ORTHOTIC WITH TRIANGULAR HEEL DESIGN**

(76) Inventors: **Daniel Morong**, 3824 Carlsbad Blvd., Carlsbad, CA (US) 92008; **Marilyn Morong**, 3824 Carlsbad Blvd., Carlsbad, CA (US) 92008

(**) Term: **14 Years**

(21) Appl. No.: **29/289,039**

(22) Filed: **Jul. 2, 2007**

(51) **LOC (8) Cl.** **02-04**

(52) **U.S. Cl.** **D2/961; D2/946**

(58) **Field of Classification Search** D2/914, D2/915, 946, 947, 950, 951, 953, 954-960; 36/88, 89, 91, 92, 93, 113, 114, 117.3-117.6, 36/124, 126, 128, 134, 135, 140, 145, 24.5, 36/25 R, 28, 29, 24 R, 35 R, 36 R, 43, 44
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,146,899	A	*	7/1915	Parmelee	36/180
D160,561	S	*	10/1950	Steinhilber	D2/955
D273,530	S		4/1984	Felske		
D287,902	S	*	1/1987	Forsyth	D2/961
D313,306	S	*	1/1991	Chang	D2/961
D319,920	S	*	9/1991	Nakano	D2/954
D366,140	S	*	1/1996	Finn	D2/961
D399,040	S	*	10/1998	Merceron	D2/954
D399,042	S		10/1998	Strawser et al.		
D399,646	S		10/1998	Choi et al.		
D407,543	S		4/1999	Belfanti		
5,896,677	A		4/1999	Barsorian		
D424,289	S		5/2000	Sorofman		
D428,689	S	*	8/2000	Guiotto et al.	D2/961
D437,676	S	*	2/2001	Ferrer	D2/954
D466,682	S	*	12/2002	Ortuno Santa	D2/954
D470,999	S	*	3/2003	Schroeder et al.	D2/957

D474,589	S	*	5/2003	Dykes	D2/961
D474,881	S		5/2003	Su		
D475,184	S	*	6/2003	Polifroni	D2/961
D485,425	S	*	1/2004	Polifroni	D2/961
D485,426	S		1/2004	Di Girolamo		
D497,470	S	*	10/2004	Crewdson et al.	D2/961
D509,951	S		9/2005	Johnson		
D511,613	S		11/2005	Kim		
D532,586	S	*	11/2006	Birkenstock	D2/961
D552,838	S	*	10/2007	Quinn	D2/961
D564,742	S	*	3/2008	Sharples	D2/961
2006/0000114	A1		1/2006	Love		

* cited by examiner

Primary Examiner—Stella M. Reid

Assistant Examiner—Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm*—Harry V. McGahey

(57) **CLAIM**

The ornamental design for a orthotic with triangular heel design, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an orthotic with triangular heel design showing our new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a side elevation view thereof with the orthotic upside down;

FIG. 4 is a side elevation view thereof with the orthotic right side up;


FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof; and,

FIG. 7 is a bottom perspective view thereof.

Each figure is a view of one orthotic for one shoe. The orthotic to be placed in the opposite shoe would be a mirror image of the view shown.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5



FIG. 6




FIG. 7