



US00D574605S

(12) **United States Design Patent**
Schroeder et al.

(10) **Patent No.:** **US D574,605 S**
(45) **Date of Patent:** **** Aug. 12, 2008**

(54) **STICK-ELECTRODE CONTAINER**

(75) Inventors: **Jeffery P. Schroeder**, Tipp City, OH
(US); **Anthony F. Nikodym**, Troy, OH
(US); **Michael A. Mohrbacker**,
Kansasville, WI (US)

(73) Assignee: **Hobart Brothers Company**, Troy, OH
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/245,458**

(22) Filed: **Dec. 22, 2005**

Related U.S. Application Data

(63) Continuation of application No. 10/378,251, filed on
Mar. 3, 2003, now abandoned.

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/201**

(58) **Field of Classification Search** D3/201,
D3/205, 206, 203; D27/186; D28/64; D19/77;
206/373, 376, 443; 220/8, 367.1, 784, 318,
220/276, 795, 780

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,450,674 A * 4/1923 Marston 220/8
2,179,879 A 11/1939 Dodge
D139,617 S * 12/1944 Rich D28/85
2,718,980 A 9/1955 Strom
2,719,626 A 10/1955 Lerner
2,815,057 A 12/1957 Tupper
2,954,139 A 9/1960 Owens
3,133,663 A 5/1964 Confer et al.
3,494,499 A 2/1970 Otto et al.
3,521,810 A * 7/1970 Boyer 229/101
3,648,891 A * 3/1972 Katz et al. 221/248
3,811,591 A 5/1974 Novitch
3,851,792 A * 12/1974 Ankney 220/253
3,873,018 A 3/1975 Donnay et al.

4,009,793 A 3/1977 Minesinger et al.
D247,378 S * 2/1978 Stuetzer et al. D27/154
4,210,253 A * 7/1980 Rosler 220/8
D262,768 S * 1/1982 Bovet D7/591
4,363,843 A 12/1982 Crofts
4,420,076 A 12/1983 Beveridge et al.
4,509,656 A 4/1985 Rosler
4,511,052 A 4/1985 Klein et al.
4,544,073 A 10/1985 Willis
4,596,340 A * 6/1986 Luther 220/8
4,633,648 A 1/1987 Yeung
4,804,818 A 2/1989 Andersen
4,813,559 A 3/1989 Kenyon, 2nd
4,866,952 A 9/1989 Hight et al.
5,076,428 A 12/1991 Shaw
5,217,307 A 6/1993 McClintock
D337,207 S 7/1993 Tiramani et al.
5,257,704 A 11/1993 Gutt
5,292,018 A 3/1994 Travisano
5,370,219 A 12/1994 Violett, Jr.
D361,507 S 8/1995 Langemann

(Continued)

Primary Examiner—Robert M. Spear

Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—Fletcher Yoder

(57) **CLAIM**

The ornamental design for a stick-electrode container, as
shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a stick-electrode container
showing our new design with a lid removed;

FIG. 2 is a side view thereof; and,

FIG. 3 is an enlarged detail view thereof taken from FIG. 2
and with the lid of FIG. 1 attached.

The broken line showing of a lid, rib portions, a label, a base
portion, and stick electrodes illustrates environmental subject
matter only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



U.S. PATENT DOCUMENTS								
5,562,212	A	10/1996	Rosler		D404,976	S	*	2/1999 Young D7/629
5,618,451	A	4/1997	Ni		D412,279	S	*	7/1999 Brice D7/629
5,680,946	A	10/1997	Cochran		6,058,636	A		5/2000 Colkmire
5,680,949	A	10/1997	Roesler		6,191,381	B1		2/2001 Kabir
D398,150	S	*	9/1998 Vonarburg	D3/302	6,603,090	B1		8/2003 Schreiber et al.
D401,660	S	*	11/1998 Timm et al.	D22/125	D545,904	S	*	7/2007 Chen et al. D19/66
5,829,591	A	11/1998	Lyons		2007/0051650	A1	*	3/2007 Carlozzi et al. 206/443
					* cited by examiner			




FIG. 1




FIG. 2




FIG. 3