



US00D574619S

(12) **United States Design Patent**
Maezono

(10) **Patent No.:** **US D574,619 S**
(45) **Date of Patent:** **** Aug. 12, 2008**

(54) **SEAT FOR AUTOMOBILE**

(75) Inventor: **Teppei Maezono**, Wako (JP)

(73) Assignee: **Honda Motor Co., Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/256,211**

(22) Filed: **Mar. 20, 2006**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/356**

(58) **Field of Classification Search** D6/334-336,
D6/356, 367-368, 500-502, 374-375; 297/232,
297/353, 354.1, 391, 452.21, 452.24, 452.25,
297/452.26, 452.29, 452.34

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|----------|---|---|---------|-----------------|-------|--------|
| D388,966 | S | * | 1/1998 | Beermann et al. | | D6/356 |
| D396,152 | S | * | 7/1998 | Beermann et al. | | D6/356 |
| D453,078 | S | * | 1/2002 | Yamazaki et al. | | D6/356 |
| D478,221 | S | * | 8/2003 | Pfeiffer et al. | | D6/356 |
| D504,579 | S | * | 5/2005 | Beermann et al. | | D6/356 |
| D504,785 | S | * | 5/2005 | Beermann et al. | | D6/356 |
| D506,084 | S | * | 6/2005 | Beermann et al. | | D6/356 |
| D534,005 | S | * | 12/2006 | Beermann | | D6/356 |
| D535,485 | S | * | 1/2007 | Moburg | | D6/356 |
| D536,543 | S | * | 2/2007 | Hsu | | D6/356 |

* cited by examiner

Primary Examiner—Caron D. Veynar

Assistant Examiner—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Westerman, Hattori, Daniels & Adrian, LLP.

(57) **CLAIM**

The ornamental design for a seat for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and left side of a seat for automobile showing our new design;

FIG. 2 is a perspective view of the top, front and right side thereof;

FIG. 3 is a perspective view of the top, rear and left side thereof;

FIG. 4 is a perspective view of the top, rear, and right side thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a right side elevational view thereof; and,

FIG. 10 is a left side elevational view thereof.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 574,619 S
APPLICATION NO. : 29/256211
DATED : August 12, 2008
INVENTOR(S) : Teppei Maezono

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page


Insert --(30)

Foreign Application Priority Data

September 22, 2005 (JP) 2005-27392--

Signed and Sealed this

Twenty-fourth Day of February, 2009



JOHN DOLL

Acting Director of the United States Patent and Trademark Office