



US00D574707S

(12) **United States Design Patent**  
**Pietrowski et al.**

(10) **Patent No.:** **US D574,707 S**

(45) **Date of Patent:** **\*\* Aug. 12, 2008**

(54) **DISPENSER HEAD**

(75) Inventors: **Daria Teresa Pietrowski**, Huntington Beach, CA (US); **Lluis Costa**, Hacienda Heights, CA (US)

(73) Assignee: **Meadwestvaco Calmar, Inc.**, Grandview, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/277,178**

(22) Filed: **Feb. 16, 2007**

5,326,000 A	7/1994	Fuchs	
D356,947 S	4/1995	Mueller	
D377,755 S	2/1997	Kotyuk, Jr. et al.	
D381,910 S	8/1997	Sayers et al.	
D385,792 S	11/1997	Sayers et al.	
D392,887 S	3/1998	Wadsworth	
D396,188 S	7/1998	Sayers	
5,826,751 A *	10/1998	Stahley et al.	222/92
D400,783 S	11/1998	De Mourgues	
D406,761 S	3/1999	Garcia	
D413,793 S	9/1999	Favre	
D414,696 S	10/1999	Sayers	
D414,697 S	10/1999	Sayers	
D416,489 S *	11/1999	Sayers	D9/448
D419,877 S	2/2000	Sayers	

(51) **LOC (8) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/448**

(58) **Field of Classification Search** ..... D9/754,  
D9/753, 752, 741, 728, 724, 697, 695, 529,  
D9/524, 516, 454, 447, 445, 444, 442, 443,  
D9/440, 439, 435, 434, 441, 686-693, 448,  
D9/438; D7/679, 590-597, 511, 510, 401.1,  
D7/398; 241/169, 169.1, 168; 229/906.1;  
222/567, 566, 545, 482, 480, 356, 151, 149,  
222/142.1-142.9, 635, 494, 491; 220/713,  
220/254.1, 703, 269, 200, 234, 295, 304,  
220/310.1, 378, 795, 804, 849, DIG. 19,  
220/DIG. 4, DIG. 7, 915; D23/260, 259;  
215/200, 231, 234, 364, DIG. 1; D24/216,  
D24/222, 224, 231; D19/57, 43; D28/7,  
D28/57

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

291,972 A	1/1884	Atwood
D248,281 S	6/1978	Schieser et al.
D314,149 S	1/1991	Guilberg
D314,688 S	2/1991	Guillerm
D339,527 S	9/1993	Tobler

(Continued)

*Primary Examiner*—Gary D. Watson  
*Assistant Examiner*—Susan Bennett Hattan

(57) **CLAIM**


The ornamental design for a dispenser head, as shown and described.

**DESCRIPTION**

FIG. 1 is a front side perspective view of the dispenser head;  
FIG. 2 is a top view of the dispenser head;  
FIG. 3 is a side view of the dispenser head, the other side being a mirror image thereof;  
FIG. 4 is a front view of the dispenser head;  
FIG. 5 is a rear view of the dispenser head; and,  
FIG. 6 is a bottom view of the dispenser head.

The broken lines in FIG. 1 showing lower portion of the pump and the broken lines in FIG. 6 showing the underside of the pump head define environmental structure which forms no part of claimed design.

**1 Claim, 2 Drawing Sheets**



# US D574,707 S

Page 2

---

## U.S. PATENT DOCUMENTS

D420,288 S	2/2000	Garcia		D471,105 S *	3/2003	Gonzalez Fernandez .....	D9/448
D429,642 S	8/2000	Garcia		6,681,961 B2	1/2004	Pares Montaner et al.	
D434,984 S *	12/2000	Wadsworth .....	D9/448	D488,380 S	4/2004	Dobbs et al.	
D436,863 S *	1/2001	Wadsworth et al. ....	D9/448	D489,616 S	5/2004	Bakic	
D437,224 S	2/2001	Brozell		D499,966 S	12/2004	Arminak	
D438,468 S *	3/2001	Wadsworth .....	D9/448	D511,095 S	11/2005	Auer	
D439,842 S	4/2001	Garcia		6,962,273 B2	11/2005	Masuda	
D441,654 S	5/2001	Sayers		D515,420 S	2/2006	Gardet	
D455,960 S	4/2002	Dobbs et al.		D516,909 S	3/2006	Bloc	
D458,136 S	6/2002	Bakic		D527,258 S	8/2006	Crawford	
D463,973 S	10/2002	Gobe		D528,418 S *	9/2006	Kuo .....	D9/448
D466,017 S	11/2002	Kuo		D539,648 S *	4/2007	Arminak .....	D9/448
				D568,154 S *	5/2008	Arminak .....	D9/448

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6