



US00D574936S

(12) **United States Design Patent**
De Lima(10) **Patent No.:** **US D574,936 S**
(45) **Date of Patent:** ** *Aug. 12, 2008(54) **RECTANGULAR PRISM SHAPED TOILET
AND RECTANGULAR PRISM SHAPED
TANKS COMBINATIONS**(76) Inventor: **Ana Paula Babo Pedroso De Lima**, Rua São Lourenço 135, Carapicuíba, São Paulo (BR) 06351-060

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**(21) Appl. No.: **29/274,135**(22) Filed: **Mar. 30, 2007**(51) LOC (8) Cl. **23-02**(52) U.S. Cl. **D23/299**

(58) Field of Classification Search D23/273-274, D23/295-301, 303, 309; 4/663-665, 300, 4/329, 420, 443, 661, 905, DIG. 11, DIG. 12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D223,916 S * 6/1972 Ament D23/300
4,051,561 A * 10/1977 Frankel et al. 4/111.3
5,400,443 A * 3/1995 Marino 4/300

* cited by examiner

Primary Examiner—Robert A. Delehanty

(57) **CLAIM**

The ornamental design of a FIG. 1 is a rectangular prism shaped toilet and rectangular prism shaped tanks combinations.

DESCRIPTION

The characteristic feature of the design resides in the combination of a rectangular prism shaped toilet with rectangular prism shaped water tanks for flushing.

FIG. 1 is a perspective view of a first embodiment of a rectangular prism shaped toilet and rectangular prism shaped tanks combinations showing my new design;

FIG. 2 is a side elevation view, the opposite side being a mirror image, thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a top plan view with the lid closed thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view of a second embodiment of a rectangular prism shaped toilet and rectangular prism shaped tanks combinations showing my new design;

FIG. 8 is a side elevation view, the opposite side being a mirror image, thereof;

FIG. 9 is a front elevation view thereof;

FIG. 10 is a rear elevation view thereof;

FIG. 11 is a top plan view with the lid closed thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a perspective view of a first embodiment of a rectangular prism shaped toilet and rectangular prism shaped tanks combinations showing my new design;

FIG. 14 is a side elevation view, the opposite side being a mirror image, thereof;

FIG. 15 is a front elevation view thereof;

FIG. 16 is a rear elevation view thereof;

FIG. 17 is a top plan view with the lid closed thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a perspective view of a first embodiment of a rectangular prism shaped toilet and rectangular prism shaped tanks combinations showing my new design;


FIG. 20 is a side elevation view, the opposite side being a mirror image, thereof;

FIG. 21 is a front elevation view thereof;

FIG. 22 is a rear elevation view thereof;

FIG. 23 is a top plan view with the lid closed thereof; and,

FIG. 24 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24