



US00D574995S

(12) **United States Design Patent**
Boyer

(10) **Patent No.:** **US D574,995 S**
(45) **Date of Patent:** **** Aug. 12, 2008**

- (54) **LIGHTING FIXTURE**
- (75) Inventor: **John Delmore Boyer**, Lebanon, NH
(US)
- (73) Assignee: **LSI Industries, Inc.**, Cincinnati, OH
(US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/306,595**
- (22) Filed: **Apr. 11, 2008**
- (51) **LOC (8) Cl.** **26-99**
- (52) **U.S. Cl.** **D26/120**
- (58) **Field of Classification Search** D26/67,
D26/74, 80, 72, 39, 123, 118, 138, 122, 24,
D26/85, 86, 113, 120, 121, 142, 152; D13/180,
D13/182; 362/364, 365, 97, 84, 612, 555,
362/545, 362, 296, 240, 227, 184, 800
See application file for complete search history.

D565,207 S * 3/2008 Uemoto et al. D26/24
D565,755 S * 4/2008 Uemoto et al. D26/24

OTHER PUBLICATIONS

Beta LED Delivers The Edge, 2007, Beta Lighting, pp. 1-5.
BLD-PKG-T5-DM, The Edge Parking Structure Light, Feb. 29,
2008; pp. 1-2.
BLD-CAN-T5-DM, The Edge Canopy Light, Feb. 8, 2008; pp. 1-2.
BLD-SEC-T2-WM, The Edge Wall Pack, Feb. 29, 2008; pp. 1-2.
Encore From LSI Petroleum Lighting, 2004; pp. 1-10.
Encore Top Access—Flat Lens, LSI Petroleum Lighting, 2007; pp.
1-2.
Encore Top Access—Flat Lens Focus, LSI Petroleum Lighting,
2007; pp. 1-2.
Vandal Proof Recessed 1x1, LSI Industries, Inc., 2007, pp. 1-2.
Sovereign, LSI Petroleum Lighting, 2007; pp. 1-2.

* cited by examiner

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—McDermott Will & Emery,
LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D85,401 S * 10/1931 Stroud D26/122
- D171,866 S * 3/1954 Schreckengost D26/122
- 2,717,955 A * 9/1955 McGinty et al. 362/311
- 2,997,575 A * 8/1961 Schwartz 362/364
- D212,899 S * 12/1968 Vesely et al. D26/24
- D304,860 S * 11/1989 O'Dohanue et al. D26/67
- D308,423 S * 6/1990 Galipeau et al. D26/67
- D312,842 S * 12/1990 Younger et al. D20/42
- D319,513 S 8/1991 Vande Kieft
- D329,239 S * 9/1992 Hahn D14/219
- D344,363 S 2/1994 Engle
- D360,270 S 7/1995 Shemitz
- D365,409 S 12/1995 Lu et al.
- D411,325 S 6/1999 Roorda
- D411,326 S 6/1999 Roorda
- D427,343 S * 6/2000 Reinbach D26/28
- D496,487 S * 9/2004 Rhee D26/89
- D514,248 S 1/2006 Rhee
- D528,226 S * 9/2006 Nagai et al. D26/1
- D530,808 S * 10/2006 Sinur et al. D23/385
- D532,143 S 11/2006 Woertler
- D532,544 S 11/2006 Woertler
- D549,869 S 8/2007 Ward
- D551,379 S * 9/2007 Maxik D26/74
- D558,388 S 12/2007 Ward

(57) **CLAIM**

The ornamental design for lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting fixture of the design of the present invention;

FIG. 2 is a top view thereof;


FIG. 3 is a bottom view thereof;

FIG. 4 is a right side view thereof; the left side view being the same; and,

FIG. 5 is a front view thereof; the back view being the same.

Those portions of the present invention which are presented in phantom lines illustrate the environment of the design only and form no part of the claimed design. Moreover, the shading presented in the accompanying drawings is provided merely to highlight the contour of the invention and is not intended to be illustrative of texture or gloss.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 574,995 S
APPLICATION NO. : 29/306595
DATED : August 12, 2008
INVENTOR(S) : John Delmore Boyer

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN PATENT TITLE PAGE:

Item 75, the state of residence for the inventor "NH" should read --OH--.

Signed and Sealed this

Seventh Day of October, 2008

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS

Director of the United States Patent and Trademark Office