



US00D575024S

(12) **United States Design Patent**
Mays et al.

(10) **Patent No.:** **US D575,024 S**
(45) **Date of Patent:** **** Aug. 12, 2008**

(54) **KNEELER**

(75) Inventors: **Kristin C. Mays**, Delaware, OH (US);
Kirt E. Whiteside, Marion, OH (US);
Shane Obitts, Elyria, OH (US)

(73) Assignee: **Whiteside Manufacturing Co.**,
Delaware, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/285,800**

(22) Filed: **Apr. 12, 2007**

(51) **LOC (8) Cl.** **12-02**

(52) **U.S. Cl.** **D34/23**

(58) **Field of Classification Search** D34/12-27;
280/79.11, 32

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,318,059	A *	5/1943	Cooper	280/32.5
2,448,427	A *	8/1948	Gordon	280/32.5
2,472,952	A *	6/1949	Lennard	280/35
D214,491	S *	6/1969	Maris	D34/18
3,976,155	A	8/1976	Esch	280/32.5
4,328,991	A	5/1982	Mengshoel et al.	297/271.1
4,650,249	A	3/1987	Serber	297/313
D294,546	S	3/1988	Opsvik	D6/500
4,767,159	A	8/1988	Opsvik	297/423.11
4,767,160	A	8/1988	Mengshoel et al.	297/423.12
4,772,071	A	9/1988	Richards	297/423.12
4,960,305	A	10/1990	Opsvik	297/423.12
5,052,703	A *	10/1991	Bertrand	280/47.34
5,054,857	A	10/1991	Kvalheim	297/423.13
5,149,174	A	9/1992	Charash	297/423.12

D330,957	S *	11/1992	Contrini	D34/23
5,186,519	A	2/1993	Larson	297/423.12
5,330,254	A	7/1994	Larson	297/354.11
D353,702	S *	12/1994	Martinez et al.	D34/23
5,490,716	A	2/1996	Naughton	297/423.12
5,669,669	A	9/1997	Usher	297/423.12
5,720,517	A	2/1998	Prothro, Sr.	297/195.11
5,870,774	A	2/1999	Legenstein	2/24
5,971,485	A	10/1999	Clark	297/423.12
6,302,413	B1	10/2001	Comeaux	280/32.5
6,543,853	B1	4/2003	Splane, Jr.	297/423.12
2003/0168899	A1	9/2003	Voyce	297/423.11
2004/0262869	A1 *	12/2004	Reining	280/79.11

* cited by examiner

Primary Examiner—Cynthia E Ramirez

(74) *Attorney, Agent, or Firm*—Renner, Kenner, Greive,
Bobak, Taylor & Weber

(57) **CLAIM**

The ornamental design for a kneeler, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, left side perspective of a kneeler showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;


FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a right side elevation al view thereof, the left side being a mirror image of FIG. 6.

The broken lines showing ribbing and the casters are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6