



US00D575066S

(12) **United States Design Patent**
Waksman et al.

(10) **Patent No.:** **US D575,066 S**
(45) **Date of Patent:** **** Aug. 19, 2008**

(54) **BRUSH HANDLE**

(76) Inventors: **Gregory Waksman**, 7015 Pelican Island Dr., Tampa, FL (US) 33634; **Benjamin Waksman**, 607 Penn National, Seffner, FL (US) 33584; **Albert M. Waksman**, 10138 Kingsbridge Ave., Tampa, FL (US) 33626; **Michael A. Waksman**, 1429 E. Henry, Tampa, FL (US) 33634

(**) Term: **14 Years**

(21) Appl. No.: **29/254,130**

(22) Filed: **Feb. 17, 2006**

(51) **LOC (8) Cl.** **04-04**

(52) **U.S. Cl.** **D4/138**

(58) **Field of Classification Search** D4/132, D4/135, 138; D8/107; 15/143.1, 145, 168, 15/175, 190-196, 201-205.2; 16/110.1, 16/422, 430; 80/177.1, 489

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D2,179 S	2/1865	Ames	
D21,071 S	9/1891	Fuchs et al.	
D24,044 S	2/1895	Estabrook	
753,476 A	3/1904	Dowd	
765,446 A	7/1904	Van Gale	
D37,564 S	9/1905	Crowell, Jr.	
846,148 A	3/1907	Schwartz	
1,444,236 A	2/1923	Cook	
1,468,716 A	9/1923	Kersting et al.	
1,600,388 A	9/1926	Barker	
1,826,165 A	10/1931	Cartwright	
1,888,930 A	11/1932	McMillan	
2,490,159 A	12/1949	Ricchiuti	
D167,950 S *	10/1952	Porter D4/135
2,664,582 A	1/1954	Kammann	
2,779,043 A	1/1957	McMillan	
2,913,751 A	11/1959	Hardman et al.	
D210,929 S *	5/1968	Mulvaney, Jr. D4/135
4,494,268 A	1/1985	Chu	
4,590,637 A	5/1986	Marino	
D373,682 S	9/1996	Armbruster	
5,749,117 A	5/1998	Forsline	

5,920,943 A	7/1999	Barker	
D441,536 S *	5/2001	Jackson-MacDonald D4/118
D454,432 S	3/2002	Ancona et al.	
6,408,474 B1	6/2002	Husted et al.	
D464,803 S	10/2002	Woodnorth et al.	
D475,204 S	6/2003	Vaes	
D475,536 S	6/2003	Vase	
D521,243 S *	5/2006	Olsson et al. D4/118
D553,941 S *	10/2007	Bruno et al. D8/107

* cited by examiner

Primary Examiner—Cathron Brooks

Assistant Examiner—Lavone D Tabor

(74) *Attorney, Agent, or Firm*—Frijouf, Rust & Pyle, P.A.

(57) **CLAIM**

The ornamental design for a brush handle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of our new design for a brush handle;

FIG. 2 is a bottom perspective view of FIG. 1;

FIG. 3 is a front view of FIG. 1;

FIG. 4 is a rear view of FIG. 1;

FIG. 5 is a right side view of FIG. 3;

FIG. 6 is a left side view of FIG. 3;

FIG. 7 is a top view of FIG. 3;

FIG. 8 is a bottom view of FIG. 3;

FIG. 9 is a top perspective view of a second embodiment of our new design for a brush handle;

FIG. 10 is a bottom perspective view of FIG. 9;

FIG. 11 is a front view of FIG. 9;

FIG. 12 is a rear view of FIG. 9;


FIG. 13 is a right side view of FIG. 11;

FIG. 14 is a left side view of FIG. 11;

FIG. 15 is a top view of FIG. 11; and,

FIG. 16 is a bottom view of FIG. 11.

1 Claim, 8 Drawing Sheets






FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 9




FIG. 12




FIG. 11




FIG. 14




FIG. 13




FIG. 15




FIG. 16