



US00D575202S

(12) **United States Design Patent**
Hanamura

(10) **Patent No.:** **US D575,202 S**
(45) **Date of Patent:** **** Aug. 19, 2008**

(54) **REAR DERAILLEUR**

(74) *Attorney, Agent, or Firm*—Global IP Counselors, LLP

(75) Inventor: **Junichi Hanamura**, Osaka (JP)

(73) Assignee: **Shimano Inc.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/280,286**

(22) Filed: **May 23, 2007**

(30) **Foreign Application Priority Data**

Jan. 23, 2007 (EM) 000657606

(51) **LOC (8) Cl.** **12-11**

(52) **U.S. Cl.** **D12/124**

(58) **Field of Classification Search** D12/111,
D12/124; 474/78–82

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,315,688 B1 11/2001 McLaughlin et al.
D533,482 S 12/2006 Hanamura et al.
D535,919 S 1/2007 Hanamura et al.
D543,547 S 5/2007 Muday et al.

OTHER PUBLICATIONS

U.S. Appl. No. 29/265,361, filed Aug. 31, 2006, Tokumoto.

Primary Examiner—Ian Simmons

Assistant Examiner—Linda Brooks

(57) **CLAIM**

The ornamental design for a rear derailleur, as shown and described.

DESCRIPTION

FIG. 1 is an outside perspective view of a rear derailleur in accordance with my new design;

FIG. 2 is an outside elevational view of the rear derailleur in accordance with my new design;

FIG. 3 is an inside elevational view of the rear derailleur in accordance with my new design;


FIG. 4 is a rear end elevational view of the rear derailleur in accordance with my new design;

FIG. 5 is a front end elevational view of the rear derailleur in accordance with my new design;

FIG. 6 is a top plan view of the rear derailleur in accordance with my new design; and,

FIG. 7 is a bottom plan view of the rear derailleur in accordance with my new design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

