



US00D575225S

(12) **United States Design Patent**  
**Ahlgren**

(10) **Patent No.:** **US D575,225 S**  
(45) **Date of Patent:** **\*\* Aug. 19, 2008**

(54) **BATTERY CHARGER**

5,847,541 A \* 12/1998 Hahn ..... 320/111  
D527,343 S \* 8/2006 Navarrez et al. .... D13/108  
D537,410 S \* 2/2007 Yuen ..... D13/110

(75) Inventor: **Lars Olov Ahlgren**, Fellingsbro (SE)

(73) Assignee: **CTEK Sweden AB**, Vikmanshyttan (SE)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Jennifer Rivard

*Assistant Examiner*—Rosemary K Tarcza

(21) Appl. No.: **29/267,149**

(74) *Attorney, Agent, or Firm*—Young & Thompson

(22) Filed: **Oct. 6, 2006**

(57) **CLAIM**

The ornamental design for a battery charger, as shown.

(30) **Foreign Application Priority Data**

Apr. 7, 2006 (EM) ..... 000509617

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **13-02**

FIG. 1 is a top, front and side perspective view of a battery charger showing my new design;

(52) **U.S. Cl.** ..... **D13/107**

FIG. 2 is a front elevational view thereof;

(58) **Field of Classification Search** ..... D13/107–110,  
D13/118–119, 184; D14/251, 253, 432,  
D14/434; 320/107–115

FIG. 3 is a side elevational view thereof from the left of FIG. 2;

See application file for complete search history.

FIG. 4 is a side elevational view thereof from the right of FIG. 2;

(56) **References Cited**

FIG. 5 is a rear elevational view thereof;

**U.S. PATENT DOCUMENTS**

FIG. 6 is a top plan view thereof; and,

D334,733 S \* 4/1993 Morgan et al. .... D13/110


FIG. 7 is a bottom plan view thereof.

D340,909 S \* 11/1993 Ip ..... D13/110

D357,457 S \* 4/1995 Larson ..... D13/110

D375,936 S \* 11/1996 Palatov ..... D13/108

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7