

US00D575266S

(12) **United States Design Patent**  
**Nishida**

(10) **Patent No.:** **US D575,266 S**  
(45) **Date of Patent:** **\*\* Aug. 19, 2008**

(54) **RADIO RECEIVER**

(75) Inventor: **Tetsuro Nishida**, Osaka (JP)

(73) Assignee: **ICOM Incorporated**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/271,442**

(22) Filed: **Jan. 19, 2007**

(30) **Foreign Application Priority Data**

Jul. 21, 2006 (JP) ..... 2006-019174

(51) **LOC (8) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/198; D14/186**

(58) **Field of Classification Search** ..... D14/137,  
D14/155, 168, 169, 188, 192-198, 204, 217,  
D14/257, 258, 265, 496; 455/344-351; 369/6-12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |        |                |       |         |
|--------------|--------|----------------|-------|---------|
| D184,776 S * | 3/1959 | Solomon        | ..... | D14/155 |
| D226,316 S * | 2/1973 | Seiden         | ..... | D14/137 |
| D232,561 S * | 8/1974 | Stessal        | ..... | D14/137 |
| D253,889 S * | 1/1980 | Taguchi et al. | ..... | D14/192 |
| D254,373 S * | 3/1980 | Ohta           | ..... | D14/139 |
| D254,738 S * | 4/1980 | Hoshino et al. | ..... | D14/196 |
| D260,645 S * | 9/1981 | Kikuhara       | ..... | D14/157 |

|              |         |               |       |         |
|--------------|---------|---------------|-------|---------|
| D264,334 S * | 5/1982  | Hisatsune     | ..... | D14/157 |
| D319,237 S * | 8/1991  | Ito et al.    | ..... | D14/164 |
| D404,396 S * | 1/1999  | Mackie et al. | ..... | D14/188 |
| D531,981 S * | 11/2006 | Akita         | ..... | D14/188 |
| D531,982 S * | 11/2006 | Akita         | ..... | D14/188 |
| D537,067 S * | 2/2007  | Oikawa        | ..... | D14/188 |

\* cited by examiner

*Primary Examiner*—Stella M. Reid

*Assistant Examiner*—Keli L Acker

(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack  
L.L.P.

(57) **CLAIM**

The ornamental design for a radio receiver, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a radio receiver in accordance with the present design;

FIG. 2 is a back view thereof;

FIG. 3 is a right side view thereof;


FIG. 4 is a left side view thereof;


FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof; and,


FIG. 7 is a perspective view thereof.

**1 Claim, 7 Drawing Sheets**






**FIG. 1**




**FIG. 2**







**FIG. 3**



**FIG. 4**




**FIG. 5**



**FIG. 6**





**FIG. 7**