



US00D575628S

(12) **United States Design Patent**
Strawn et al.

(10) **Patent No.:** **US D575,628 S**

(45) **Date of Patent:** **** Aug. 26, 2008**

(54) **KEY FOR AN IMPLANTABLE MEDICAL
DEVICE ACTIVATOR**

(75) Inventors: **Luke Strawn**, Columbia Heights, MN
(US); **Kevin Charles Johnson**,
Minneapolis, MN (US); **Claus Sørensen**,
Hadsund (DK); **Gregory M. Smith**,
Ramsey, MN (US); **Timothy Michael
Bottger**, Brooklyn Park, MN (US); **John
Lindor Arnold**, Minneapolis, MN (US)

(73) Assignee: **Transoma Medical, Inc.**, St. Paul, MN
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/269,706**

(22) Filed: **Dec. 6, 2006**

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/347**

(58) **Field of Classification Search** D8/330,
D8/344, 346, 347; 40/330; 70/395, 406,
70/408, 460; 206/37.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------|--------|
| 3,641,498 | A | 2/1972 | Hedin | |
| 3,651,464 | A | 3/1972 | Hedin et al. | |
| 3,660,831 | A | 5/1972 | Nicola et al. | |
| 4,297,569 | A | 10/1981 | Flies | |
| 4,768,229 | A | 8/1988 | Benjamin et al. | |
| D342,887 | S * | 1/1994 | Eizen | D8/347 |
| D343,783 | S * | 2/1994 | Zaugg et al. | D8/347 |
| D353,320 | S * | 12/1994 | Eizen | D8/347 |
| D353,760 | S * | 12/1994 | Eizen | D8/347 |
| D361,031 | S * | 8/1995 | Marthaler | D8/347 |

D361,708 S * 8/1995 Kahonen D8/347

* cited by examiner

Primary Examiner—Stella M. Reid

Assistant Examiner—Shanda C Hill

(74) *Attorney, Agent, or Firm*—Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a key for an implantable medical device activator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a key for an implantable medical device activator illustrating the new design;

FIG. 2 is a front view of the first embodiment;

FIG. 3 is a rear view of the first embodiment;

FIG. 4 is a left side view of the first embodiment, where a right side view is not presented, as it is a mirror image of the left side view;

FIG. 5 is a top side view of the first embodiment;

FIG. 6 is a bottom side view of the first embodiment;


FIG. 7 is a perspective view of a second embodiment of the new design; and,

FIG. 8 is a front view of the second embodiment, where a rear view is not presented as it is a mirror image of the front view, left and right side views are not presented as they are identical to FIG. 4, and top and bottom views are not presented as they are identical to FIGS. 5–6.

FIGS. 2 through 6 and 8 are shown on a reduced scale.

In FIGS. 1–3 the broken lines showing a magnet are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8