

US00D575664S

# (12) United States Design Patent

Greer

(10) Patent No.:

US D575,664 S

(45) **Date of Patent:** 

\*\* Aug. 26, 2008

### JEWELRY BEAD (54)

Anne P. Greer, 17150 Castello Cir., San

Diego, CA (US) 92127

14 Years Term:

Appl. No.: 29/245,697

Filed: Dec. 28, 2005

U.S. Cl. ...... D11/86 (52)(58)

D11/40-41, 43-50, 53, 56, 60, 63, 65, 67, D11/75–78.1, 86, 89, 95–105, 108–109, 115–116; 63/1.11, 1.12, 1.13, 1.14, 1.16, 1.18, 13, 63/14.1, 35, 38, 39

See application file for complete search history.

#### (56)**References Cited**

## U.S. PATENT DOCUMENTS

D59,240	S	*	10/1921	Lieberfreund D11/81
D80,074	S	*	12/1929	Craft D11/81
D140,450	S	*	2/1945	Rubel
D152,216	S	*	12/1948	Quethera
4,420,076	$\mathbf{A}$	*	12/1983	Beveridge et al 206/37
D282,055	S	*	1/1986	Brinkers D11/80
4,765,459	$\mathbf{A}$	*	8/1988	Edwards 206/38.1
D308,951	S	*	7/1990	Rinck D11/79
D361,507	S	*	8/1995	Langemann D3/201
D395,840	S	*	7/1998	Cato
D433,225	S	*	11/2000	Deiss et al
D446,388	S	*	8/2001	Rivera D3/208
D532,714	S	*	11/2006	Scharr D11/79

<sup>\*</sup> cited by examiner

Primary Examiner—R. Seifert

(74) Attorney, Agent, or Firm—Michael W. Landry

## (57)CLAIM

The ornamental design for a jewelry bead, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view of the centrally located body of a jewelry bead showing my new design, it being understood that the top and bottom edges have been removed for ease of illustration and that the body is the same in both embodiments as described below;

FIG. 2 is a side elevational view of FIG. 1;

FIG. 3 is an end view of FIG. 1;

FIG. 4 is a perspective view of a jewelry bead showing the first embodiment of my new design;

FIG. 5 is a side elevational view of FIG. 4;

FIG. 6 is an end elevational view of FIG. 4;

FIG. 7 is a perspective view of a jewelry bead showing the second embodiment of my new design;


FIG. 8 is a side elevational view of FIG. 7; and,

FIG. 9 is an end elevational view of FIG. 7.

The cylindrical portion in the center of the design is identical in both embodiments, including the top end and bottom end views. The broken lines of FIGS. 1, 2, and 3 show where a rim design is applied. FIGS. 4, 5, and 6 show an embodiment with a first rim design. FIGS. 7, 8, and 9 show an embodiment with a second rim design.

It being understood that the broken lines in FIGS. 1–3 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 3




FIG. 1




FIG. 2

Aug. 26, 2008




FIG. 6




FIG. 4




FIG. 5




FIG. 9




FIG. 7




FIG. 8