



US00D575815S

(12) **United States Design Patent**
Hammad et al.

(10) **Patent No.:** **US D575,815 S**
(45) **Date of Patent:** **** Aug. 26, 2008**

(54) **ASYMMETRICAL DATA DEVICE WITH INDENTATION WITH SHIELD**

(75) Inventors: **Ayman Hammad**, Pleasanton, CA (US);
Christopher Law, Pelham Manor, NY (US);
Vlad Guzner, Brooklyn, NY (US);
Maorong Lin, Brooklyn, NY (US);
David Sohn, Fort Lee, NJ (US)

(73) Assignee: **Visa U.S.A. Inc.**, San Francisco, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/279,369**

(22) Filed: **Apr. 27, 2007**

(51) **LOC (8) Cl.** **19-08**

(52) **U.S. Cl.** **D19/10; D14/436**

(58) **Field of Classification Search** D19/1-25,
D19/34.1-34.5, 35-42, 52; D3/207, 208,
D3/212, 215; D20/22, 24, 27, 28, 40-43;
40/1.5, 6, 27, 107, 119, 120, 124, 299, 358,
40/617, 634, 636, 60, 662; 281/15.1, 33,
281/38; 108/60.61; 248/44.1, 316.5, 460;
229/74; 206/39.6; D11/79; D8/347; D14/356,
D14/434-438

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,452,250 A * 4/1923 Moore et al. 40/673
D229,742 S * 1/1974 Helenum D8/347
4,718,697 A * 1/1988 Berardus
van Amelsfort 283/107

OTHER PUBLICATIONS

U.S. Appl. No. 29/263,221, Hammad.
U.S. Appl. No. 29/263,226, Hammad.
U.S. Appl. No. 29/263,220, Hammad.
U.S. Appl. No. 29/269,954, Law et al.
U.S. Appl. No. 29/269,966, Law et al.
U.S. Appl. No. 29/269,950, Law et al.

U.S. Appl. No. 29/266,546, Hammad.
U.S. Appl. No. 29/269,951, Law et al.
U.S. Appl. No. 29/279,367, Hammad et al.
U.S. Appl. No. 29/279,368, Hammad et al.
U.S. Appl. No. 29/279,370, Hammad.
U.S. Appl. No. 29/279,371, Hammad.
U.S. Appl. No. 29/277,150, Law et al.
U.S. Appl. No. 29/281,167, Hammad et al.
Color photograph of key fob design, 1 page.

Primary Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(57) **CLAIM**

The ornamental design for an asymmetrical data device with indentation with shield, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an asymmetrical data device with indentation with shield showing a first embodiment of our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevation view thereof; and

FIG. 7 is a rear elevation view thereof.

FIG. 8 is a perspective view of a second embodiment of our new design;

FIG. 9 is a top plan view thereof;

FIG. 10 is a left side elevation view thereof;


FIG. 11 is a right side elevation view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a front elevation view thereof; and,

FIG. 14 is a rear elevation view thereof.

1 Claim, 4 Drawing Sheets



US D575,815 S

Page 2

U.S. PATENT DOCUMENTS

D299,038 S *	12/1988	van Amelsfort	D20/27	D458,421 S *	6/2002	Wasserman et al.	D30/155
D333,973 S *	3/1993	Eizen	D8/347	D475,195 S *	6/2003	Christianson	D3/209
D355,678 S *	2/1995	Mattox	D20/22	D478,720 S *	8/2003	Lo	D3/209
D378,580 S *	3/1997	Fekete et al.	D11/79	D512,835 S *	12/2005	Hunter et al.	D3/249
D387,812 S *	12/1997	Liu	D20/27	D513,419 S *	1/2006	Morrison et al.	D20/28
D434,418 S *	11/2000	Shinada	D14/436	D522,234 S *	6/2006	Murphy	D3/209
D441,184 S *	5/2001	Haapala	D3/207	D523,235 S *	6/2006	Oas	D3/207
D449,734 S *	10/2001	Shing	D3/209	D543,351 S *	5/2007	Bates et al.	D3/207
D455,006 S *	4/2002	Pinchuk	D3/209	D545,361 S *	6/2007	Boland et al.	D19/9
D456,852 S *	5/2002	Maloney	D20/22	D557,491 S *	12/2007	Cerullo et al.	D3/207
D458,017 S *	6/2002	Yehudai	D3/209				

* cited by examiner




FIG. 1



FIG. 3




FIG. 2



FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8



FIG. 10




FIG. 9



FIG. 11



FIG. 13




FIG. 12




FIG. 14