

US00D575887S

(12) **United States Design Patent**
Mukai

(10) **Patent No.:** **US D575,887 S**

(45) **Date of Patent:** **** Aug. 26, 2008**

(54) **LIGHTING FIXTURE WITH LIGHT
EMITTING DIODE**

(75) Inventor: **Kenji Mukai**, Shijonawate (JP)

(73) Assignee: **Matsushita Electric Industrial Co.,
Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/297,673**

(22) Filed: **Nov. 15, 2007**

Related U.S. Application Data

(62) Division of application No. 29/231,379, filed on Jun. 2,
2005.

(30) **Foreign Application Priority Data**

Dec. 7, 2004	(JP)	2004-037356
Dec. 7, 2004	(JP)	2004-037357
Dec. 7, 2004	(JP)	2004-037358
Dec. 7, 2004	(JP)	2004-037359

(51) **LOC (8) Cl.** **26-05**

(52) **U.S. Cl.** **D26/24**

(58) **Field of Classification Search** D13/180;
D6/300, 309; D7/554.2, 554.3; D9/456;
D19/1; D20/22, 27, 28, 40; D21/307, 308,
D21/349, 362, 363, 365, 374, 390; D25/109;
D26/1, 24, 72, 74, 89; 273/139, 142 R; 362/612,
362/84, 147, 362; 434/198, 214, 206; 257/79,
257/98

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,268,529	A *	12/1941	Stiles	40/702
D212,899	S *	12/1968	Vesely et al.	D26/24
4,241,277	A	12/1980	Hintze et al.		
4,754,372	A *	6/1988	Harrison	362/565
5,054,885	A	10/1991	Melby		

5,102,129	A	4/1992	Roberts		
D332,461	S *	1/1993	Beaupeurt	D16/250
5,375,043	A	12/1994	Tokunaga		
5,533,636	A	7/1996	Reiker		
D397,470	S *	8/1998	Bassford et al.	D26/67
D418,984	S *	1/2000	Koconis	D6/314
6,100,861	A	8/2000	Cohen et al.		
6,116,751	A *	9/2000	Remp	362/153
6,439,731	B1	8/2002	Johnson et al.		
6,439,736	B1 *	8/2002	Fiene	362/147
6,498,592	B1	12/2002	Matthies		
6,565,231	B1	5/2003	Cok		
6,780,486	B2 *	8/2004	Kuo et al.	428/40.1
6,787,994	B2	9/2004	Cok		
D499,505	S *	12/2004	Benensohn	D26/89
6,958,182	B2	10/2005	Hasecke et al.		
D522,975	S	6/2006	Egawa et al.		
D542,958	S *	5/2007	Lodhie et al.	D26/67

(Continued)

Primary Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

I claim the ornamental design for a lighting fixture with light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a lighting fixture with light emitting diode of the present invention;

FIG. 2 is a left side view thereof, wherein the right side view is a mirror image thereof;


FIG. 3 is a front view thereof, wherein the rear view is a mirror image thereof;

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.

The broken line showing of lighting fixture with light emitting diode is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D575,887 S

Page 2

U.S. PATENT DOCUMENTS

D545,359 S *	6/2007	Bramhall	D19/2	2003/0026100 A1	2/2003	Wang	
D547,480 S *	7/2007	Cnossen	D26/74	2006/0171148 A1	8/2006	Huang	
D559,555 S *	1/2008	Mischel et al.	D6/300	2006/0193132 A1	8/2006	Kim et al.	
D562,473 S *	2/2008	Matsui et al.	D26/24	2007/0045640 A1*	3/2007	Erchak et al.	257/98
2002/0159246 A1	10/2002	Murasko et al.		2007/0133193 A1*	6/2007	Kim	362/147
				2007/0139929 A1	6/2007	Yoo et al.	

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5