



US00D575898S

(12) **United States Design Patent**
Tran et al.

(10) **Patent No.:** **US D575,898 S**

(45) **Date of Patent:** **** Aug. 26, 2008**

(54) **END PORTION OF A LIGHTING FIXTURE**

(75) Inventors: **Michael Trung Tran**, Oakland, CA (US); **Frank A. Friedman**, Mill Valley, CA (US); **Peter Y. Y. Ngai**, Alamo, CA (US)

(73) Assignee: **Acuity Brands, Inc.**, Atlanta, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/286,508**

(22) Filed: **May 8, 2007**

(51) **LOC (8) Cl.** **26-99**

(52) **U.S. Cl.** **D26/113**

(58) **Field of Classification Search** D26/118,
D26/76, 120, 121, 77, 141, 128, 78, 3, 88,
D26/85, 87, 65, 67, 68, 81, 84, 155, 145,
D26/142, 113, 138, 57, 72, 73, 75, 82, 89,
D26/93, 109, 108, 119, 143, 152; D11/90;
D25/124; D10/114; D13/135, 134; 362/298,
362/555, 576, 581, 147, 151, 153, 217, 219,
362/235, 241, 279, 290, 297, 325, 404, 405,
362/410, 800

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,941,079	A *	12/1933	Exelmans	362/224
D106,873	S *	11/1937	Stewart	D26/24
D122,861	S *	10/1940	Carter, Jr.	D26/77
D127,398	S *	5/1941	Jordan	D26/76
D132,144	S *	4/1942	Hallman	D26/84

(Continued)

OTHER PUBLICATIONS

Peerless Lighting Catalog Sheet, "4" Round Dimensions Pendant Mount," 1986.

Peerless Lighting Catalog Sheet, "4" Round Dimensions Rotatable Pendant Mount," 1986.

Peerless Lighting Catalog Sheet, "6" Round: Softshine Optics High Efficiency Up," 1986.

Peerless Lighting Catalog Sheet, "6" Round: Softshine Optics Open Up/Wide Spread Down," 1986.

Peerless Lighting Product Brochure, "9" Round Systems," 1986.

Peerless Lighting Product Brochure, "Mountings and Configurations," 1986.

Peerless Lighting Product Brochure, "Lightfoil2, 2"×12" Wall Mounted," 2004.

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—Donald L. Beeson; Beeson Skinner Beverly, LLP

(57) **CLAIM**

The ornamental design for an end portion of a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of an end portion of a lighting fixture showing our new design;

FIG. 2 is a right side elevational view thereof, the left side being a mirror image;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a top plan view thereof;


FIG. 5 is an end elevational view thereof;

FIG. 6 is an enlarged end elevational view thereof; and,

FIG. 7 is an enlarged right side elevational view thereof.

The broken lines immediately adjacent solid lines in FIG. 4 represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D575,898 S

Page 2

U.S. PATENT DOCUMENTS

2,334,005	A *	11/1943	Hoeveler	362/223	D300,953	S *	5/1989	Hughes et al.	D26/78
2,423,884	A *	7/1947	Glass	250/504 R	D387,462	S *	12/1997	Huang	D26/76
4,246,629	A *	1/1981	Marrero	362/147	D464,161	S *	10/2002	Nourishad	D26/78
D269,910	S *	7/1983	Johansson	D25/124	D480,168	S *	9/2003	Herst et al.	D26/77
4,573,111	A *	2/1986	Herst et al.	362/337	6,652,118	B2 *	11/2003	Shemitz et al.	362/225
4,669,033	A *	5/1987	Lee	362/217	D500,882	S	1/2005	Herst et al.		
D300,873	S *	4/1989	Thompson et al.	D26/74	D500,883	S	1/2005	Herst et al.		
D300,951	S *	5/1989	Hughes et al.	D26/78	D520,176	S *	5/2006	Herst et al.	D26/121

* cited by examiner




FIG. 1



FIG. 2




FIG. 3





FIG. 5

FIG. 4




FIG. 6




FIG. 7