



US00D576032S

(12) **United States Design Patent**
Wolff et al.

(10) **Patent No.:** **US D576,032 S**

(45) **Date of Patent:** **** Sep. 2, 2008**

(54) **MINT CONTAINER**

(75) Inventors: **Stephen Wolff**, Scarsdale, NY (US);
Aubrey Jones, South Orange, NJ (US)

(73) Assignee: **Wolff Medical Marketing and Design, LLC**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/292,109**

(22) Filed: **Sep. 27, 2007**

(51) **LOC (8) Cl.** **09-03**

(52) **U.S. Cl.** **D9/418**

(58) **Field of Classification Search** D9/414-416,
D9/418, 420, 424-432, 433, 443, 527-530,
D9/704, 730-734; D7/354, 360, 505, 540-545,
D7/554, 565-567, 570, 574, 584-586, 604,
D7/629, 667; D30/123, 129-133; 426/115,
426/122, 394; 206/162, 170, 216, 469, 471,
206/497, 508, 536, 557, 804, 815; 220/4.21-4.22,
220/266, 350, 470, 471, 495.01, 557, 574,
220/618, 793; 229/117.14, 117.18, 123.1,
229/125.35, 220, 406, 362.4; D3/203.2,
D3/304, 314, 294, 323; 221/250, 260, 267,
221/281, 299, 807

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D217,058 S * 3/1970 Marsh D23/207
D236,188 S * 8/1975 Encino D9/417
3,964,609 A * 6/1976 Perrella 206/540
D252,558 S * 8/1979 Beck D9/418
D272,419 S * 1/1984 Persch D9/572
D286,137 S * 10/1986 Huck et al. D3/203.3
D311,684 S * 10/1990 Newell et al. D9/418
D314,335 S * 2/1991 Newell et al. D9/418
D349,644 S * 8/1994 Miyairi et al. D3/203.2
D397,037 S * 8/1998 Negre D9/521
D397,865 S * 9/1998 Lin D3/218
D428,816 S * 8/2000 Shiokawa et al. D9/521

D432,911 S * 10/2000 Clarke et al. D9/415
D433,629 S * 11/2000 Clarke et al. D9/415
D475,282 S * 6/2003 Snaith et al. D9/420
D480,634 S * 10/2003 Caroen D9/414
D492,588 S * 7/2004 Herrmann D7/682

(Continued)

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Lerner, David, Littenberg,
Krumholz & Mentlik, LLP

(57) **CLAIM**

The ornamental design for a mint container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment mint container, in accordance with the present invention;

FIG. 2 is a front elevational view of the mint container shown in FIG. 1;

FIG. 3 is a rear elevational view of the mint container shown in FIG. 1;

FIG. 4 is a top plan view of the mint container shown in FIG. 1;

FIG. 5 is a bottom plan view of the mint container shown in FIG. 1;



FIG. 6 is a right side elevational view of the mint container shown in FIG. 1;

FIG. 7 is a left side elevational view of the mint container shown in FIG. 1; and,

FIG. 8 is a perspective view of a second embodiment of the mint container of FIGS. 1-7, it being understood that all surfaces are the same as those of the first embodiment, the only difference being that the container is opaque and has no horizontal line on the side surfaces.

The broken lines in the drawings represent environmental structure and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D576,032 S

Page 2

U.S. PATENT DOCUMENTS

D505,068 S *	5/2005	Cunningham et al.	D9/415	D539,641 S *	4/2007	Tanner	D3/203.1
D527,640 S *	9/2006	Cummings et al.	D9/529	D539,642 S *	4/2007	Tanner	D9/424
D528,012 S *	9/2006	Snyder	D9/727	D540,161 S *	4/2007	Terrasi	D9/417
D535,186 S *	1/2007	Tanner	D9/422	D542,664 S *	5/2007	Mayers	D9/529
D536,961 S *	2/2007	Tanner	D9/424	D559,705 S *	1/2008	Sparks et al.	D9/723

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8