



US00D576076S

(12) **United States Design Patent**
Yoshiguchi

(10) **Patent No.:** **US D576,076 S**
(45) **Date of Patent:** **** Sep. 2, 2008**

(54) **BELT ADJUSTING DEVICE**
(75) Inventor: **Manabu Yoshiguchi**, Kamakura (JP)
(73) Assignee: **Nifco Inc.**, Yokohama-Shi, Kanagawa (JP)
(**) Term: **14 Years**
(21) Appl. No.: **29/290,814**
(22) Filed: **Jan. 17, 2008**

D456,309 S * 4/2002 Yoshiguchi D11/218
D458,870 S * 6/2002 Anscher D11/218
D467,838 S * 12/2002 Yoshiguchi D11/218
D496,605 S * 9/2004 Anscher et al. D11/218

* cited by examiner

Primary Examiner—R. Seifert

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(30) **Foreign Application Priority Data**
Aug. 1, 2007 (JP) 2007-021024
(51) **LOC (8) Cl.** **02-07**
(52) **U.S. Cl.** **D11/218**
(58) **Field of Classification Search** D11/1–2,
D11/86, 87, 200–201, 206–210, 212–216,
D11/218; 24/163 R, 169–171, 173, 177–179,
24/191, 194–195, 197, 200, 303
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a belt adjusting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a belt adjusting device showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a plan view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a right side view thereof; a left side view being symmetrical to the right side view; and,
FIG. 7 is a sectional view thereof taken along line 7—7 in FIG. 3.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D386,110 S * 11/1997 Hetrick et al. D11/218
D427,547 S * 7/2000 Yoshiguchi D11/218

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

