

US00D576085S

(12) **United States Design Patent**  
**Devlin**

(10) **Patent No.:** **US D576,085 S**  
(45) **Date of Patent:** **\*\* Sep. 2, 2008**

(54) **BUMPER HITCH WOBBLE REDUCTION  
DEVICE**

(76) Inventor: **Gary W. Devlin**, 807 Koehler Ave.,  
Sherwood, AR (US) 72120

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/276,952**

(22) Filed: **Feb. 9, 2007**

(51) **LOC (8) Cl.** ..... **11-01**

(52) **U.S. Cl.** ..... **D12/162**

(58) **Field of Classification Search** ..... D12/106,  
D12/162, 400, 401, 403; 280/495, 507, 511,  
280/727, 769; 40/200, 204, 205, 209, 211,  
40/575, 590, 591; D26/28, 31, 34, 36; 224/527,  
224/522, 524

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D401,195 S \* 11/1998 Chimenti ..... D12/162  
5,988,667 A \* 11/1999 Young ..... 280/506  
6,105,989 A \* 8/2000 Linger ..... 280/506  
6,142,502 A \* 11/2000 Breslin ..... 280/506

\* cited by examiner

*Primary Examiner*—Louis S Zarfas

*Assistant Examiner*—Michael A Pratt

(74) *Attorney, Agent, or Firm*—Joe D. Calhoun

(57) **CLAIM**

The ornamental design for a bumper hitch wobble reduction device, as shown and described.

**DESCRIPTION**

FIG. 1 depicts a perspective view of one embodiment of the invention.

FIG. 2 depicts a top plan view of the invention of FIG. 1

FIG. 3 depicts a bottom plan view of the invention of FIG. 1.


FIG. 4 depicts a front elevation view of the invention of FIG. 1.

FIG. 5 depicts a rear elevation view of the invention of FIG. 1

FIG. 6 depicts a left side elevation plan view of the invention of FIG. 1; and,

FIG. 7 depicts a right side elevation plan view of the invention of FIG. 1.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7