



US00D576281S

(12) **United States Design Patent**
Reihanifam et al.

(10) **Patent No.:** **US D576,281 S**
(45) **Date of Patent:** **** Sep. 2, 2008**

(54) **PERITONEAL DIALYSIS CYCLE AND CASSETTE COMBINED**

(75) Inventors: **Mohsen Reihanifam**, Rancho Santa Fe, CA (US); **Kulwinder S. Plahey**, Martinez, CA (US); **Lynn E. Jensen**, Syracuse, UT (US)

(73) Assignee: **Fresenius Medical Care Holdings, Inc.**, Lexington, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/224,370**

(22) Filed: **Feb. 28, 2005**

(51) **LOC (8) Cl.** **24-01**

(52) **U.S. Cl.** **D24/169**

(58) **Field of Classification Search** D24/111,
D24/169, 186; 210/252, 258, 321.65, 321.71,
210/321.88, 645, 646; 604/28, 29, 34
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-------------------|---------|---------------|-------|---------|
| D240,559 S * | 7/1976 | Kawaguchi | | D24/169 |
| D308,249 S * | 5/1990 | Buckley | | D24/169 |
| D310,881 S * | 9/1990 | Larkin et al. | | D24/169 |
| D351,470 S | 10/1994 | Scherer | | |
| D395,085 S * | 6/1998 | Kenley et al. | | D24/169 |
| D402,369 S * | 12/1998 | Prokop et al. | | D24/169 |
| 5,938,634 A * | 8/1999 | Packard | | 604/29 |
| 5,989,423 A * | 11/1999 | Kamen et al. | | 210/258 |
| 6,726,656 B2 * | 4/2004 | Kamen et al. | | 604/131 |
| 2002/0045851 A1 * | 4/2002 | Suzuki et al. | | 604/28 |

* cited by examiner

Primary Examiner—Louis S Zarfaz
Assistant Examiner—Anhdao Doan
(74) *Attorney, Agent, or Firm*—Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a peritoneal dialysis cycle and cassette combined, as shown and described.

DESCRIPTION

FIG. 1 is a first end perspective view of a peritoneal dialysis cycle and cassette combined;

FIG. 2 is a first end perspective view of the cyclor of FIG. 1, with a cyclor cassette access door open;

FIG. 3 is an opposite, second end perspective view of the cyclor of FIG. 1;

FIG. 4 is a front view of the cyclor of FIG. 1;

FIG. 5 is a first end elevation view of the cyclor of FIG. 1;

FIG. 6 is a second end elevation view of the cyclor of FIG. 1; and

FIG. 7 is a rear view of the cyclor of FIG. 1.

FIG. 8 is a perspective view of a cassette for use with the cyclor of FIG. 1;

FIG. 9 is a front elevation of the cassette of FIG. 8;

FIG. 10 is a rear view of the cassette of FIG. 8.



FIG. 11 is a right side view of the cassette of FIG. 8;

FIG. 12 is a left side view of the cassette of FIG. 8;

FIG. 13 is a top plan view of the cassette of FIG. 8; and,

FIG. 14 is a bottom plan view of the cassette of FIG. 8.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14