



US00D576354S

(12) **United States Design Patent**  
**Dominski et al.**

(10) **Patent No.:** **US D576,354 S**  
(45) **Date of Patent:** **\*\* Sep. 2, 2008**

- (54) **CONTAINER**
- (75) Inventors: **Dan Dominski**, Highland Village, TX (US); **Alex Kwapis**, Columbus, OH (US); **Kyle Every**, Plano, TX (US)
- (73) Assignee: **Mary Kay Inc.**, Dallas, TX (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/283,433**
- (22) Filed: **Aug. 14, 2007**
- (51) **LOC (8) Cl.** ..... **28-03**
- (52) **U.S. Cl.** ..... **D28/83**
- (58) **Field of Classification Search** ..... 132/286–288, 132/293–307, 312–318; D28/76–84; 206/581, 206/823; 220/DIG. 26  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D248,675 S	7/1978	Gaudiche	.....	D28/78
D256,172 S	7/1980	Chevassus	.....	D28/83
4,276,893 A	7/1981	Enomoto et al.	.....	132/301
D262,150 S	12/1981	Sussman	.....	D28/83
4,366,829 A	1/1983	Yuhara	.....	132/301
D267,983 S	2/1983	Cheung	.....	D28/64.1
4,474,196 A	10/1984	Yuhara	.....	132/301
D277,421 S	1/1985	Bakic	.....	D28/83
D279,225 S	6/1985	Chevassus	.....	D28/83
D281,913 S	12/1985	Bakic	.....	D28/83
D281,914 S	12/1985	Sussman	.....	D28/83
D290,761 S	7/1987	Goberman	.....	D28/83
D292,626 S	11/1987	Chevassus	.....	D28/78
D293,612 S	1/1988	Bulwik	.....	D28/83
D293,941 S *	1/1988	Elie	.....	D28/83
D298,070 S	10/1988	Ferrari	.....	D28/78
4,774,973 A	10/1988	Gueret	.....	220/326
D301,124 S	5/1989	Bakic	.....	D28/83
4,863,034 A	9/1989	Contreras, Sr.	.....	206/581
D304,098 S	10/1989	Desgrippes	.....	D28/78
D305,164 S	12/1989	Hall	.....	D28/83
D305,947 S	2/1990	Chevassus	.....	D28/78
4,930,528 A	6/1990	Hatakeyama	.....	132/301

4,972,860 A	11/1990	Yuhara et al.	.....	132/301
4,982,751 A	1/1991	Oishi et al.	.....	132/299
D314,447 S	2/1991	Litton	.....	D28/78
4,989,622 A	2/1991	Kozuka et al.	.....	132/301
5,078,159 A	1/1992	Yuhara	.....	132/295
5,161,556 A	11/1992	Audebourg et al.	.....	132/296
5,199,451 A	4/1993	Montoli	.....	132/315
5,320,116 A	6/1994	Ackermann	.....	132/293
5,331,982 A	7/1994	Machelett	.....	132/301
5,373,862 A	12/1994	Blachut	.....	132/294
5,431,177 A	7/1995	Kecman	.....	132/303
5,605,167 A	2/1997	Montoli	.....	132/294
5,638,838 A	6/1997	Lombardi	.....	132/294
5,682,910 A *	11/1997	Kizawa et al.	.....	132/293
D401,017 S	11/1998	Thorpe	.....	D28/78
5,845,658 A	12/1998	Sussman	.....	132/287
D407,856 S *	4/1999	Orsomando	.....	D28/83
5,992,426 A	11/1999	Yuhara	.....	132/293
6,021,784 A	2/2000	Yuhara	.....	132/293
D422,120 S	3/2000	Orsomando	.....	D28/83
6,032,681 A	3/2000	Byun	.....	132/293
D434,875 S *	12/2000	Gavin	.....	D28/83
6,227,208 B1	5/2001	Imbert	.....	132/304
6,283,129 B1	9/2001	Yuhara et al.	.....	132/295
D452,939 S	1/2002	Lai	.....	D28/77
D456,954 S	5/2002	Restrepo	.....	D28/83
D477,895 S *	7/2003	Goswell	.....	D28/83
D478,397 S	8/2003	Bakic	.....	D28/83
D478,688 S *	8/2003	Thorpe et al.	.....	D28/83
D478,689 S	8/2003	Thorpe	.....	D28/83
D496,760 S	9/2004	Restrepo	.....	D28/83
D504,743 S	5/2005	Kostow	.....	D28/78
D517,244 S	3/2006	Ditrichstein et al.	.....	D28/78
D530,861 S	10/2006	Kuo	.....	D28/83
2004/0182413 A1	9/2004	De Laforcade	.....	132/293
2005/0115863 A1	6/2005	Yuhara	.....	206/581
2005/0279753 A1	12/2005	Timm et al.	.....	220/810


\* cited by examiner

*Primary Examiner*—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski L.L.P.

(57) **CLAIM**

The ornamental design for a container, as shown and described.



**DESCRIPTION**

FIG. 1 is a top front perspective view of a first embodiment of our design;

FIG. 2 is a front view of the first embodiment;

FIG. 3 is a back view of the first embodiment;

FIG. 4 is a left side view of the first embodiment;

FIG. 5 is a right side view of the first embodiment;

FIG. 6 is a top view of the first embodiment;

FIG. 7 is top front perspective view of a second embodiment of our design, the only differences from the first embodiment being that this embodiment has a shorter overall side length and a smaller transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 8 is top front perspective view of a third embodiment of our design, the only differences from the first embodiment being that this embodiment has a longer overall side length and a larger transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 9 is a top front perspective view of a fourth embodiment of our design, the only difference from the first embodiment being that this embodiment does not have a transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 10 is top front perspective view of a fifth embodiment of our design, the only differences from the first embodiment being that this embodiment has a shorter overall side length and does not have a transparent rectangular window on the top

surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 11 is top front perspective view of a sixth embodiment of our design, the only differences from the first embodiment being that this embodiment has a longer overall side length and does not have a transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;


FIG. 12 is a top front perspective view of a seventh embodiment of our design, the only difference from the first embodiment being that the entire top, front, back, and side surfaces are transparent, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 13 is top front perspective view of an eighth embodiment of our design, the only differences from the first embodiment being that this embodiment has a shorter overall side length and the entire top, front, back, and side surfaces are transparent, it being understood that all other surfaces are the same as those of the first embodiment; and,


FIG. 14 is top front perspective view of a ninth embodiment of our design, the only differences from the first embodiment being that this embodiment has a longer overall side length and the entire top, front, back, and side surfaces are transparent, it being understood that all other surfaces are the same as those of the first embodiment.

The dashed lines in FIGS. 1 and 3–14 are environmental structure forming no part of the claimed design. The bottom of each embodiment of our design and all other surface(s) or portion(s) of the embodiments of our design not shown in the figures or otherwise described in the specification form no part of the claimed design.


**1 Claim, 4 Drawing Sheets**



**FIG. 1**



**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**




**FIG. 8**




**FIG. 9**




**FIG. 10**




**FIG. 11**



**FIG. 12**



**FIG. 13**



**FIG. 14**