

US00D576354S

(12) **United States Design Patent**
Dominski et al.

(10) **Patent No.:** **US D576,354 S**
(45) **Date of Patent:** **** Sep. 2, 2008**

- (54) **CONTAINER**
- (75) Inventors: **Dan Dominski**, Highland Village, TX
(US); **Alex Kwapis**, Columbus, OH
(US); **Kyle Every**, Plano, TX (US)
- (73) Assignee: **Mary Kay Inc.**, Dallas, TX (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/283,433**
- (22) Filed: **Aug. 14, 2007**
- (51) **LOC (8) Cl.** **28-03**
- (52) **U.S. Cl.** **D28/83**
- (58) **Field of Classification Search** 132/286–288,
132/293–307, 312–318; D28/76–84; 206/581,
206/823; 220/DIG. 26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D248,675 S	7/1978	Gaudiche	D28/78
D256,172 S	7/1980	Chevassus	D28/83
4,276,893 A	7/1981	Enomoto et al.	132/301
D262,150 S	12/1981	Sussman	D28/83
4,366,829 A	1/1983	Yuhara	132/301
D267,983 S	2/1983	Cheung	D28/64.1
4,474,196 A	10/1984	Yuhara	132/301
D277,421 S	1/1985	Bakic	D28/83
D279,225 S	6/1985	Chevassus	D28/83
D281,913 S	12/1985	Bakic	D28/83
D281,914 S	12/1985	Sussman	D28/83
D290,761 S	7/1987	Goberman	D28/83
D292,626 S	11/1987	Chevassus	D28/78
D293,612 S	1/1988	Bulwik	D28/83
D293,941 S *	1/1988	Elie	D28/83
D298,070 S	10/1988	Ferrari	D28/78
4,774,973 A	10/1988	Gueret	220/326
D301,124 S	5/1989	Bakic	D28/83
4,863,034 A	9/1989	Contreras, Sr.	206/581
D304,098 S	10/1989	Desgrippes	D28/78
D305,164 S	12/1989	Hall	D28/83
D305,947 S	2/1990	Chevassus	D28/78
4,930,528 A	6/1990	Hatakeyama	132/301

4,972,860 A	11/1990	Yuhara et al.	132/301
4,982,751 A	1/1991	Oishi et al.	132/299
D314,447 S	2/1991	Litton	D28/78
4,989,622 A	2/1991	Kozuka et al.	132/301
5,078,159 A	1/1992	Yuhara	132/295
5,161,556 A	11/1992	Audebourg et al.	132/296
5,199,451 A	4/1993	Montoli	132/315
5,320,116 A	6/1994	Ackermann	132/293
5,331,982 A	7/1994	Machelett	132/301
5,373,862 A	12/1994	Blachut	132/294
5,431,177 A	7/1995	Kecman	132/303
5,605,167 A	2/1997	Montoli	132/294
5,638,838 A	6/1997	Lombardi	132/294
5,682,910 A *	11/1997	Kizawa et al.	132/293
D401,017 S	11/1998	Thorpe	D28/78
5,845,658 A	12/1998	Sussman	132/287
D407,856 S *	4/1999	Orsomando	D28/83
5,992,426 A	11/1999	Yuhara	132/293
6,021,784 A	2/2000	Yuhara	132/293
D422,120 S	3/2000	Orsomando	D28/83
6,032,681 A	3/2000	Byun	132/293
D434,875 S *	12/2000	Gavin	D28/83
6,227,208 B1	5/2001	Imbert	132/304
6,283,129 B1	9/2001	Yuhara et al.	132/295
D452,939 S	1/2002	Lai	D28/77
D456,954 S	5/2002	Restrepo	D28/83
D477,895 S *	7/2003	Goswell	D28/83
D478,397 S	8/2003	Bakic	D28/83
D478,688 S *	8/2003	Thorpe et al.	D28/83
D478,689 S	8/2003	Thorpe	D28/83
D496,760 S	9/2004	Restrepo	D28/83
D504,743 S	5/2005	Kostow	D28/78
D517,244 S	3/2006	Ditrichstein et al.	D28/78
D530,861 S	10/2006	Kuo	D28/83
2004/0182413 A1	9/2004	De Laforcade	132/293
2005/0115863 A1	6/2005	Yuhara	206/581
2005/0279753 A1	12/2005	Timm et al.	220/810


* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski L.L.P.

(57) **CLAIM**

The ornamental design for a container, as shown and described.



DESCRIPTION

FIG. 1 is a top front perspective view of a first embodiment of our design;

FIG. 2 is a front view of the first embodiment;

FIG. 3 is a back view of the first embodiment;

FIG. 4 is a left side view of the first embodiment;

FIG. 5 is a right side view of the first embodiment;

FIG. 6 is a top view of the first embodiment;

FIG. 7 is top front perspective view of a second embodiment of our design, the only differences from the first embodiment being that this embodiment has a shorter overall side length and a smaller transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 8 is top front perspective view of a third embodiment of our design, the only differences from the first embodiment being that this embodiment has a longer overall side length and a larger transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 9 is a top front perspective view of a fourth embodiment of our design, the only difference from the first embodiment being that this embodiment does not have a transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 10 is top front perspective view of a fifth embodiment of our design, the only differences from the first embodiment being that this embodiment has a shorter overall side length and does not have a transparent rectangular window on the top

surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 11 is top front perspective view of a sixth embodiment of our design, the only differences from the first embodiment being that this embodiment has a longer overall side length and does not have a transparent rectangular window on the top surface, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 12 is a top front perspective view of a seventh embodiment of our design, the only difference from the first embodiment being that the entire top, front, back, and side surfaces are transparent, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 13 is top front perspective view of an eighth embodiment of our design, the only differences from the first embodiment being that this embodiment has a shorter overall side length and the entire top, front, back, and side surfaces are transparent, it being understood that all other surfaces are the same as those of the first embodiment; and,

FIG. 14 is top front perspective view of a ninth embodiment of our design, the only differences from the first embodiment being that this embodiment has a longer overall side length and the entire top, front, back, and side surfaces are transparent, it being understood that all other surfaces are the same as those of the first embodiment.

The dashed lines in FIGS. 1 and 3–14 are environmental structure forming no part of the claimed design. The bottom of each embodiment of our design and all other surface(s) or portion(s) of the embodiments of our design not shown in the figures or otherwise described in the specification form no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14