



US00D576518S

(12) **United States Design Patent**
Yoshiguchi

(10) **Patent No.:** **US D576,518 S**

(45) **Date of Patent:** **** Sep. 9, 2008**

(54) **BUCKLE**

(75) Inventor: **Manabu Yoshiguchi**, Kamakura (JP)

(73) Assignee: **Nifco Inc.**, Yokohama-Shi, Kanagawa (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/290,819**

(22) Filed: **Jan. 17, 2008**

(30) **Foreign Application Priority Data**

Aug. 1, 2007 (JP) 2007-021023

(51) **LOC (8) Cl.** **02-07**

(52) **U.S. Cl.** **D11/216**

(58) **Field of Classification Search** D11/1-2,
D11/86, 87, 200-201, 206-210, 212-216,
D11/218; 24/163 R, 169-171, 173, 177-179,
24/191, 194-195, 197, 200, 303

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D402,589 S * 12/1998 Lundstedt D11/216

D447,089 S * 8/2001 Kung D11/216

D471,487 S * 3/2003 Uehara et al. D11/216

D538,197 S * 3/2007 Wemmer D11/216

D564,408 S * 3/2008 Hsiao D11/216

* cited by examiner

Primary Examiner—R. Seifert

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a buckle showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof; a right side view being symmetrical to the left side view;

FIG. 7 is a sectional view thereof taken along line 7—7 in FIG. 2; and,

FIG. 8 is another sectional view thereof taken along line 8—8 in FIG. 4.

1 Claim, 4 Drawing Sheets



Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

